BIJOA

The Biochemical Journal

INDEX TO VOLUME 127

THE UNIVERSITY OF MICHIGAN
MEDICAL LIBRARY

London: The Biochemical Society © 1972

Price 20p. net (U.S.A. $0.50)

THE BIOCHEMICAL SOCIETY

OFFICERS AND COMMITTEE, 1972–73

Chairman of the Committee
T. W. Goodwin, F.R.S.

Treasurer
D. F. Elliott

Committee Secretary
A. N. Davison

Meetings Secretary
H. M. Keir

International Secretary
A. P. Mathias

Committee
R. B. Beechey
E. A. Dawes
R. M. C. Dawson
D. T. Elmore
K. Griffiths
R. Hoffenberg*‡
G. D. Hunter
V. H. T. James
C. F. Mills
C. A. Pasternak†
P. J. Randle
D. S. Robinson†
T. A. Scott
T .F. Slater
Ruth E. van Heyningen
D. G. Walker*†
A. M. White
T. S. Work

**Ex officio* Member of Committee

†Representative of Editorial Board of the *Biochemical Journal.*

‡Representative of Editorial Board of *Clinical Science.*

Symposium Organizer
R. M. S. Smellie

The Biochemical Society exists to advance the science of biochemistry through meetings and publications. Eleven meetings a year are held, each at a different place; original papers are presented and special topics are discussed at symposia and colloquia.

Persons interested in biochemistry are eligible for election as Members. Details of further facilities accorded to Members, and forms of application for membership, are available from the Executive Secretary, The Biochemical Society, 7 Warwick Court, London WC1R 5DP [01-242 1076 (4 lines.)]

The *Biochemical Journal* is published and distributed by the Biochemical Society. It is published twice monthly, in four or more volumes per year. It is planned that five volumes will appear in 1972. The index for each volume is published separately.

Subscriptions to the *Biochemical Journal.* For non-members of the Biochemical Society the subscription to the Journal at the present rate of publication is £45 per year (£9 per volume). For non-members in the U.S.A. the subscription is $112 per year (subject to exchange variation) ($22.50 per volume). All subscriptions are payable in advance at the time of ordering. Orders and subscriptions should be sent to the Biochemical Society (Publications), 7 Warwick Court, London WC1R 5DP.

Claims regarding issues lost or damaged in transit should be addressed to the Biochemical Society at the address in the preceding paragraph. No claims can be entertained if they are received later than three months after the date of posting of the Journal.

Back Numbers. Enquiries for volumes 1–19 should be addressed to William Dawson & Sons Ltd., Back Issues Department, Cannon House, Park Farm Road, Folkestone, Kent. Quotations for available issues of subsequent volumes and parts may be obtained on application to Walter J. Johnson Ltd., 24/28 Oval Road, London NW1 7DX, or to The Biochemical Society.

Advertisements. Applications for advertising space should be sent to the Advertising Department, The Biochemical Society, 7 Warwick Court, London WC1R 5DP [01-242 1076 (4 lines.)] Copy is required eight weeks before publication date. Rate cards are available on request.

Microfilms. Volumes 1–89 (1906–1963) have been recorded on microfilm by the EP Group, Microfilm Division, Bradford Road, East Ardsley, Wakefield, Yorks. Details are available from the firm or the Biochemical Society.

Index of Authors

Note. Pages in *Proceedings of the Biochemical Society* are distinguished by P.

ACKRELL, B. A. C., ERICKSON, S. K. & JONES, C. W. The allosteric properties of the reduced nicotinamide–adenine dinucleotide phosphate dehydrogenase of *Azotobacter vinelandii* respiratory membranes 75P

ACKRELL, B. A. C. *see also* ERICKSON, S. K. 73P–74P; JONES, C. W. 74P–75P

ADAMS, D. H. The scrapie agent: a small deoxyribonucleic acid mediated virus? 82P–83P

ALDRIDGE, W. N. *see* ROSE, M. S. 51–59

ALLEN, A. *see* SNARY, D. 577–587, 68P–69P

AL-TAI, A. H. *see* ROWSELL, E. V. 27P

ANDERSON, J. C. & JACKSON, D. S. The isolation of glycoproteins from bovine Achilles tendon and their interaction with collagen 179–186

ANDERSON, J. W. *see* SHAW, W. H. 237–247

ANDERSON, R. G., HUSSEY, H. & BADDILEY, J. The mechanism of wall synthesis in bacteria. The organization of enzymes and isoprenoid phosphates in the membrane 11–25

ANDREWS, T. M. & TATA, J. R. Membrane-bound and free ribosomes in brain and other tissues 6P

ANDREWS, T. M. *see also* BLACKBURN, M. J. 40P

ANTHONY, C. *see* ROBINSON, J. H. 71P–72P

ARST, H. N. & SCAZZOCCHIO, C. Control of nucleic acid synthesis in *Aspergillus nidulans* 18P

ASHFORD, J. S. *see* BARDSLEY, W. G. 875–879

ASHWORTH, J. M. *see* MALKINSON, A. M. 611–612

ATKINS, G. L. Investigation of the effect of data error on the determination of physiological parameters by means of compartmental analysis 437–438

ATKINSON, A., PHILLIPS, B. W., CALLOW, D. S., STONES, W. R. & BRADFORD, P. A. Preliminary separation of enzymes extracted from *Bacillus stearothermophilus* 63P–64P

AXE, J. C. & HOARE, D. G. Binding of oestrogens to human erythrocytes and haemoglobin 68P

BACHELARD, H. S. Deoxyglucose and brain glycolysis 83P

BACON, J. R. & GRAHAM, G. N. Sequence studies on the milk protein α-lactalbumin by using mass spectrometry 76P–77P

BADDILEY, J. *see* ANDERSON, R. G. 11–25; HANCOCK, I. C. 27–37; HUSSEY, H. 39–50; TOON, P. 399–409

BAIRD, J. K. & ELLWOOD, D. C. Investigation of the polysaccharides produced by extracellular glycosyltransferases from *Streptococcus mutans* 88P–89P

BALÁZS, R. *see* PATEL, A. J. 85P

BARDEN, N. & KORNER, A. A decreased aminoacyl-transfer-ribonucleic acid-binding capacity of 40S ribosomal subunits resulting from hypophysectomy of the rat 411–417

BARDSLEY, W. G., CRABBE, M. J. C., SHINDLER, J. S. & ASHFORD, J. S. Oxidation of *p*-dimethylaminoethylbenzylamine by pig kidney diamine oxidase. A new method for spectrophotometric assay 875–879

BARRETT, A. J. & DINGLE, J. T. The inhibition of tissue acid proteinases by pepstatin 439–441

BARRETT, A. J. *see also* DINGLE, J. T. 443–444

BARTLEY, I. M., HODGSON, B., WALKER, J. S. & HOLME, G. The use of acid alumina and Sephadex LH-20 for the separation and characterization of ethanol-soluble peptides produced by *Bacillus brevis* 489–502

BASSETT, R. A., CHAIN, E. B., CORBETT, K., DICKERSON, A. G. F. & MANTLE, P. G. Comparative metabolism of *Claviceps purpurea in vivo* and *in vitro* 3P–4P

BATESON, P. P. G. *see* HAMBLEY, J. 90P

BAYOUMI, R. A. & SMITH, W. R. D. The effects of dietary vitamin B_6 deficiency on the development of the γ-aminobutyrate shunt in rat brain 84P–85P

BEACHAM, L. M., III *see* MASSEY, V. 10P–11P

BEEBEE, T., KORNER, A. & BOND, R. P. M. Differential inhibition of mammalian ribonucleic acid polymerases by an exotoxin from *Bacillus thuringiensis*. The direct observation of nucleoplasmic ribonucleic acid polymerase activity in intact nuclei 619–624

BELL, S. C., TURNER, J. M., COLLINS, J. & GRAY, T. R. G. Patterns of microbial threonine catabolism: a survey 77P

BENDALL, D. S. *see* RATHMELL, W. G. 125–132

BERMINGHAM, M. A. C., DEOL, B. S. & STILL, J. L. Studies on the biosynthesis of cyclic depsipeptides in *Serratia marcescens* 45P–46P

BIRD, J. A. & CAIN, R. B. Metabolism of linear alkylbenzenesulphonates by a *Vibrio* sp. 46P

BLACKBURN, M. J., ANDREWS, T. M. & WATTS, R. W. E. The measurement of the deoxyribonucleic acid content of human granulocytes 40P

BLAIR, G. E. & ELLIS, R. J. Light-driven synthesis of the large subunit of fraction I protein by isolated chloroplasts 42P

BOLTON, P. G. & DEAN, A. C. R. Phosphatase synthesis in *Klebsiella* (*Aerobacter*) *aerogenes* growing in continuous culture 87–96

BOND, R. P. M. *see* BEEBEE, T. 619–624

BORDER, D. J., BUCK, K. W., CHAIN, E. B., KEMPSON-JONES, G. F., LHOAS, P. & RATTI, G. Viruses of *Penicillium* and *Aspergillus* species 4P–6P

BORGE, P. A. *see* HOPKINS, R. P. 26P–27P

BRADFORD, H. F. *see* DE BELLEROCHE, J. S. 21P; DODD, P. R. 20P–21P

BRADFORD, P. A. *see* ATKINSON, A. 63P–64P

BRENNAN, P. J. *see* KHULLER, G. K. 369–373

BROCKES, J. P., BROWN, P. R. & MURRAY, K. The deoxyribonucleic acid modification enzyme of bacteriophage P1. Purification and properties 1–10

BROPHY, P. J. & GOWER, D. B. The metabolism *in vitro* of 16-unsaturated C_{19} keto steroids in boar testis 23P–24P

BROUGHTON, W. J., DILWORTH, M. J. & GODFREY, C. A. Molecular properties of lupin and serradella leghaemoglobins 309–314

BROWN, P. E. *see* TOON, P. 399–409

BROWN, P. R. *see* BROCKES, J. P. 1–10

BRUCHOVSKY, N. The metabolism of testosterone and dihydrotestosterone in an androgen-dependent tumour. A possible correlation between dihydrotestosterone and tumour growth *in vivo* 561–575

BUCK, K. W. *see* BORDER, D. J. 4P–6P
BUDOWSKI, P. *see* GROSSMAN, S. 909–910
BULLOCK, G. R., CARTER, E. E., ELLIOTT, P., PETERS, R. F., SIMPSON, P. & WHITE, A. M. Relative changes in the function of muscle ribosomes and mitochondria during the early phase of steroid-induced catabolism 881–892
BUSWELL, J. A. & MAHMOOD, A. Degradation of *p*-methoxybenzoate by cell-free extracts of *Pseudomonas fluorescens* 45P
BURCHELL, B., NEMETH, A. M. & DUTTON, G. J. Induction of uridine diphosphate glucuronyltransferase: relation to protein and ribonucleic acid synthesis 81P–82P
BURGEN, A. S. V. *see* HILEY, C. R. 86P
BUTCHKO, G. M. & INMAN, F. P. Mercaptan-induced fragmentation of a subunit-like proteolytic fragment of immunoglobulin M 801–807
BUTT, V. S. *see* VAUGHAN, P. F. T. 641–647
BUTTERY, P. J. & ROWSELL, E. V. A natural inhibitor of liver glutamine aminotransferase 81P
BYFIELD, P. G. H., CLARK, M. B., TURNER, K., FOSTER, G. V. & MACINTYRE, I. Immunochemical studies on human calcitonin M leading to information on the shape of the molecule 199–206

CAIN, R. B. Metabolism of shikimate and quinate by *Aspergillus niger* and its regulation 15P–16P
CAIN, R. B. The identity of shikimate dehydrogenase and quinate dehydrogenase in *Aspergillus niger* 15P
CAIN, R. B. *see also* BIRD, J. A. 46P; THATCHER, D. R. 32P–33P, 33P–34P; WATSON, G. K. 44P
CALDWELL, P. C. Sodium ion and potassium ion transport and permeability: a comparison between squid giant axons and *Ascaris* muscle fibres 54P
CALLAGHAN, P. *see* HOPKINS, R. P. 26P–27P
CALLOW, D. S. *see* ATKINSON, A. 63P–64P
CAMPBELL, A. M. & JOLLY, D. J. Resolution of supercoiled deoxyribonucleic acid structures by light-scattering 39P–40P
CAPEL, I. D., FRENCH, M. R., MILLBURN, P., SMITH, R. L. & WILLIAMS, R. T. Species variations in the metabolism of phenol 25P–26P
CARDINAUD, R. & HOLGUIN, J. Separation of nucleoside deoxyribosyltransferase into four active components by affinity chromatography 30P
CARNIE, J. A. *see* ROWSELL, E. V. 155–165, 27P
CARTER, E. E. *see* BULLOCK, G. R. 881–892
CARTER, S. B. *see* TURNER, W. B. 1P
CARTLEDGE, T. G. & LLOYD, D. Subcellular fractionation by zonal centrifugation of glucose-repressed anaerobically grown *Saccharomyces carlsbergensis* 693–703
CASTILLON, R. & RODNIGHT, R. Increased activity of the sodium-plus-potassium ion-stimulated adenosine triphosphatase in rat brain during electrically induced convulsions 83P–84P
CATER, B. R., WALKDEN, V. & HALLINAN, T. Is the liver cytochrome *P*-450-linked biotransformation system lecithin-dependent? 37P–38P
CAVANAGH, J. B. *see* PATEL, A. J. 85P
CHAIN, E. B. *see* BASSETT, R. A. 3P–4P; BORDER, D. J. 4P–6P; DODD, P. R. 20P–21P; HEARSE, D. J. 20P
CHAN, T. M. & FREEDLAND, R. A. The effect of propionate on the metabolism of pyruvate and lactate in the perfused rat liver 539–543
CHAPPELL, J. B. *see* MCGIVAN, J. D. 54P–56P
CHHEDA, G. B., HONG, C. I., PISKORZ, C. F. & HARMON, G. A. Biosynthesis of *N*-(purin-6-ylcarbamoyl)-L-threonine riboside. Incorporation of L-threonine *in vivo* into modified nucleoside of transfer ribonucleic acid 515–519
CLARK, M. B. *see* BYFIELD, P. G. H. 199–206
CLARKE, N. *see* DAWSON, R. M. C. 113–118
COLE, H. A. *see* WILKINSON, J. M. 215–228
COLE, M., ELSON, S. & FULLBROOK, P. D. Inhibition of the β-lactamases of *Escherichia coli* and *Klebsiella aerogenes* by semi-synthetic penicillins 295–308
COLEMAN, J. O. D. *see* PALMER, J. M. 42P–43P
COLEMAN, R. *see* LLOYD-DAVIES, K. A. 357–368, 36P
COLLINS, J. *see* BELL, S. C. 77P
COOK, A. M. & FEWSON, C. A. Possible transport mechanisms for mandelate and benzoate in bacterium N.C.I.B. 8250 78P–79P
COOK, A. M. & FEWSON, C. A. Utilization of pairs of substrates by bacterium N.C.I.B. 8250 growing in batch culture 77P–78P
COOK, A. R. Ureolysis in the ovine rumen 66P
COOPER, D. R. *see* RUSSELL, A. E. 855–863
COOPER, R. H., MCPHERSON, M. & SCHOFIELD, J. G. The effect of prostaglandins on ox pituitary content of adenosine 3′:5′-cyclic monophosphate and the release of growth hormone 143–154
CORBETT, K. *see* BASSETT, R. A. 3P–4P
COVE, D. J. Chlorate toxicity in the fungus *Aspergillus nidulans* 19P
COVE, D. J. *see also* HANKINSON, O. 18P–19P; MACDONALD, D. W. 19P; PAGE, M. M. 17P
CRABBE, M. J. C. *see* BARDSLEY, W. G. 875–879
CREETH, J. M. *see* JONES, J. M. 187–197
CROFT, L. R. *see* SLINGSBY, C. 609–610

DA PRADA, M., PLETSCHER, A. & TRANZER, J. P. Lipid composition of membranes of amine-storage organelles 681–683
DADE, E. & HEMS, D. A. The turnover of glycerol and free fatty acid in blood of genetically obese mice 41P
DANN, J. G., HARDING, N. G. L., NEWBOLD, P. C. H. & WHITELEY, J. M. Single-step purification of dihydrofolate reductases on pteridine matrices 28P–29P
DAS, I. Glycogen synthetase and hexokinase activities in the perfused Langendorff and working heart of normal and streptozotocin-diabetic rats 22P–23P
DAVIES, D. D., TEIXEIRA, A. & KENWORTHY, P. The stereospecificity of nicotinamide–adenine dinucleotide-dependent oxidoreductases from plants 335–343
DAWSON, A. P., DUNNETT, S. J. & SELWYN, M. J. Inhibitory actions of trialkyltin compounds on mitochondrial respiration 67P
DAWSON, A. P. *see also* SELWYN, M. J. 66P–67P
DAWSON, R. M. C. & CLARKE, N. D-*myo*Inositol 1:2-cyclic phosphate 2-phosphohydrolase 113–118
DE BELLEROCHE, J. S. & BRADFORD, H. F. Synaptosome beds: a method for the study *in vitro* of the metabolism and function of nerve endings 21P
DE GASQUET, P. & PÉQUIGNOT, E. Lipoprotein lipase activities in adipose tissues, heart and diaphragm of the genetically obese mouse (*ob*/*ob*) 445–447

DE MATTEIS, F. Drug interactions in experimental hepatic porphyria: a model for the exacerbation by drugs of human variegate porphyria 21P–22P
DEAN, A. C. R. *see* BOLTON, P. G. 87–96
DEAN, P. D. G. & LOWE, C. R. Some studies on insolubilized nicotinamide nucleotides 11P–12P
DEOL, B. S. *see* BERMINGHAM, M. A. C. 45P–46P
DICKERSON, A. G. F. *see* BASSETT, R. A. 3P–4P
DILWORTH, M. J. *see* BROUGHTON, W. J. 309–314
DINGLE, J. T., BARRETT, A. J., POOLE, A. R. & STOVIN, P. Inhibition by pepstatin of human cartilage degradation 443–444
DINGLE, J. T. *see also* BARRETT, A. J. 439–441
DODD, G. H. The interaction of glutamate dehydrogenase and malate dehydrogenase with phospholipid membranes 38P–39P
DODD, P. R., BRADFORD, H. F. & CHAIN, E. B. Formation of glucose from glucose 6-phosphate by rat brain slices 20P–21P
DODGSON, K. S. *see* GATEHOUSE, P. W. 661–668
DONNINGER, C. *see* HUTSON, D. H. 285–293
DRABBLE, W. T. *see* ROBINSON, J. H. 71P–72P
DRING, L. G. *see* WILLIAMS, B. 24P–25P
DUNNETT, S. J. *see* DAWSON, A. P. 67P; SELWYN, M. J. 66P–67P
DUNSTAN, P. J. *see* ROBERTSON, J. S. 119–123
DURR, I. F. & HABBAL, M. Z. The biosynthesis of C_{55} polyprenols by a cell-free preparation of *Lactobacillus plantarum* 345–349
DUTTON, G. J. *see* BURCHELL, B. 81P–82P

EDDY, A. A. Some applications of the ion-gradient hypothesis to the problem of the mechanism of amino acid transport 52P–54P
EDGAR, W., FORREST, I. S., HOLMS, W. H. & JASANI, B. The control of glycerol utilization by glucose metabolism 59P
EDMONDSON, D. *see* MASSEY, V. 10P–11P
EDY, V. G. & SZEKELY, M. Biological activity of double-stranded ribonucleic acid fragments 39P
ELION, G. B. *see* MASSEY, V. 10P–11P
ELLIOTT, P. *see* BULLOCK, G. R. 881–892
ELLIS, R. J. *see* BLAIR, G. E. 42P
ELLWOOD, D. C. The effect of growth conditions on the mucopeptide composition of walls of *Bacillus subtilis* W23 73P
ELLWOOD, D. C. *see also* BAIRD, J. K. 88P–89P; PEARSON, A. D. 72P–73P
ELSON, S. *see* COLE, M. 295–308
ERICKSON, S. K., ACKRELL, B. A. C. & JONES, C. W. The respiratory-chain dehydrogenases of *Azotobacter vinelandii* 73P–74P
ERICKSON, S. K. *see also* ACKRELL, B. A. C. 75P; JONES, C. W. 74P–75P
ETHERINGTON, D. J. The nature of the collagenolytic cathepsin of rat liver and its distribution in other rat tissues 685–692
EVANS, W. C. *see* ORPIN, C. G. 819–831, 833–844

FANGER, M. W. & SMYTH, D. G. The oligosaccharide units of rabbit immunoglobulin G. Asymmetric attachment of C2-oligosaccharide 767–774

FANGER, M. W. & SMYTH, D. G. The oligosaccharide units of rabbit immunoglobulin G. Multiple carbohydrate-attachment sites 757–765
FEWSON, C. A. *see* COOK, A. M. 77P–78P; 78P–79P
FINCHAM, J. R. S. *see* WOOTTON, J. C. 31P–32P
FISHMAN, W. H. *see* KATO, K. 425–435
FITT, P. S. *see* LOUIS, B. G. 69–80, 81–86
FONNUM, F. *see* MALTHE-SØRENSSEN, D. 229–236
FORREST, I. S. *see* EDGAR, W. 59P
FOSTER, G. V. *see* BYFIELD, P. G. H. 199–206
FOSTER, M. A. *see* SALEM, A. R. 845–853
FOTHERGILL, J. E. *see* WISEMAN, R. L. 775–780
FOTHERGILL, L. A. *see* WISEMAN, R. L. 775–780
FRANKLIN, S. G. & METRIONE, R. M. Chromatographic evidence for the existence of multiple forms of cathepsin B1 207–213
FREEDLAND, R. A. *see* CHAN, T. M. 539–543
FRENCH, M. R. *see* CAPEL, I. D. 25P–26P
FULLBROOK, P. D. *see* COLE, M. 295–308

GABEL, D. & PORATH, J. Molecular properties of immobilized proteins 13P–14P
GATEHOUSE, P. W., ROY, A. B., DODGSON, K. S., POWELL, G. M., LLOYD, A. G. & OLAVESEN, A. H. The metabolism of sodium cortisone 21-[^{35}S]sulphate in the rat 661–668
GELLER, D. M., JUDAH, J. D. & NICHOLLS, M. R. Intracellular distribution of serum albumin and its possible precursors in rat liver 865–874
GIBBONS, G. F. & MITROPOULOS, K. A. Inhibition of cholesterol biosynthesis by carbon monoxide: accumulation of lanosterol and 24,25-dihydrolanosterol 315–317
GILL, C. O. & RATLEDGE, C. Effect of *n*-alkanes on the transport of glucose in *Candida* sp. strain 107 59P–60P
GILLIBRAND, I. M. A study of aggregation phenomena occurring in actin solutions during depolymerization 737–739
GIORGI, P. P. Polyamines and the regulation of protein synthesis in brain 6P
GODFREY, C. A. *see* BROUGHTON, W. J. 309–314
GOODAY, G. W. Fungal sex hormones 2P–3P
GORCHEIN, A. Magnesium protoporphyrin chelatase activity in *Rhodopseudomonas spheroides*. Studies with whole cells 97–106
GORE, M. G., GREENWOOD, C. & HOLBROOK, J. J. Studies on the glutamate dehydrogenase from *Neurospora crassa* 30P–31P
GOWER, D. B. *see* BROPHY, P. J. 23P–24P; LOKE, K. H. 545–551
GRAHAM, G. N. *see* BACON, J. R. 76P–77P; PRESTON, F. B. 75P–76P
GRAHAME-SMITH, D. G. The effect of inhibitors of protein synthesis to inhibit brain protein synthesis and prevent the hyperactivity and hyperpyrexia in rats produced by inhibition of monoamine oxidase and the administration of L-tryptophan or 5-methoxy-*NN*-dimethyltryptamine 7P
GRAY, T. R. G. *see* BELL, S. C. 77P
GREAVES, M. W. *see* MCDONALD-GIBSON, W. J. 40P–41P
GREENGARD, O. *see* MCGEE, M. M. 669–674, 675–680
GREENWOOD, C. *see* GORE, M. G. 30P–31P
GRIFFIN, M. *see* HALLIWELL, G. 43P

GROSS, J. *see* TOOLE, B. P. 715–720
GROSSMAN, S., TROP, M., BUDOWSKI, P., PERL, M. & PINSKY, A. Properties of agarose-bound soya-bean lipoxygenase 909–910
GUILFORD, H. *see* MOSBACH, K. 625–631, 12P–13P
GUILLORY, R. J. *see* LIU-OSHEROFF, P. 419–424
GUYNN, R. *see* VEECH, R. L. 387–397

HABBAL, M. Z. *see* DURR, I. F. 345–349
HAHN, P. & SKALA, J. Carnitine and brown adipose tissue metabolism in the rat during development 107–111
HALLINAN, T. *see* CATER, B. R. 37P–38P
HALLIWELL, G., GRIFFIN, M. & VINCENT, R. The role of component C_1 in cellulolytic systems 43P
HAMBLEY, J., ROSE, S. P. R. & BATESON, P. P. G. Effects of early visual experiences on the metabolism of adenosine 3′:5′-cyclic monophosphate in chick brain 90P
HAMILTON, I. D. & HOLMS, W. H. Malate permeation as the pacemaker for exogenous malate metabolism in *Escherichia coli* 62P–63P
HAMILTON, W. A. & JEACOCKE, R. E. The ion-specific increases in membrane permeability with a group of membrane-active antibacterial agents 56P–57P
HAMILTON, W. A. *see also* JEACOCKE, R. E. 57P–58P; NIVEN, D. F. 58P
HANCOCK, I. C. & BADDILEY, J. Biosynthesis of the wall teichoic acid in *Bacillus licheniformis* 27–37
HANDLEY, C. J. & PHELPS, C. F. The concentrations of sugar nucleotides in bovine corneal epithelium and endothelium 911–912
HANKINSON, O. & COVE, D. J. Regulation of the pentose phosphate pathway in the fungus *Aspergillus nidulans* 18P–19P
HANSFORD, R. G. Some properties of pyruvate and 2-oxoglutarate oxidation by blowfly flight-muscle mitochondria 271–283
HANSON, R. W. *see* RESHEF, L. 809–818
HARDING, N. G. L. *see* DANN, J. G. 28P–29P
HARDY, K. G. & MEYNELL, G. G. Mechanisms of colicinogeny 69P
HARMON, G. A. *see* CHHEDA, G. B. 515–519
HAROLD, F. M. Ion transport and electrogenesis in bacteria 49P–50P
HARRIS, C. I., KUROSKY, A., RAO, L. & HOFMANN, T. Amino acid sequences in penicillo-pepsin: evidence for homology with porcine pepsin and chymosin 34P–35P
HASLAM, R. J. Inhibition of blood platelet function by cytochalasins: effects on thrombosthenin and on glucose metabolism 34P
HEARSE, D. J. & CHAIN, E. B. Glucose and the survival and recovery of the anoxic myocardium 20P
HEATH, D. F. & PHILLIPS, J. C. Disequilibrium in the malate dehydrogenase reaction in rat liver mitochondria *in vivo* 453–470
HEITZMAN, R. J., HERRIMAN, I. D. & MALLINSON, C. B. Activities of phosphopyruvate carboxylase and citrate synthase in rat and cow liver after glucocorticoid administration 27P–28P
HEMS, D. A. *see* DADE, E. 41P
HENDERSON, P. J. F. A linear equation that describes the steady-state kinetics of enzymes and subcellular particles interacting with tightly bound inhibitors 321–333
HENDERSON, P. J. F. & SHUG, A. The modification of bongkrekic acid inhibition of mitochondrial adenine nucleotide translocation by coenzyme A 65P–66P
HERNANDEZ, A. & WORK, T. S. Protein synthesis by the mitochondria of neurons 6P
HERRIMAN, I. D. *see* HEITZMAN, R. J. 27P–28P
HIGGINS, I. J. & RIBBONS, D. W. Stereospecificity of hydride transfer in the flavin mono-oxygenase orcinol hydroxylase 65P
HILEY, C. R., YOUNG, J. M. & BURGEN, A. S. V. Labelling of cholinergic receptors in subcellular fractions from rat cerebral cortex 86P
HIROHATA, I. *see* KATO, K. 425–435
HIROM, P. C., MILLBURN, P., OSIYEMI, F. O., SMITH, R. L., TURBERT, H. B. & WILLIAMS, R. T. The effect of testosterone on the biliary excretion of tartrazine in female rats 25P
HOARE, D. G. Carrier-mediated transport across the erythrocyte membrane: a rigorous test for the simple carrier model 62P
HOARE, D. G. *see also* AXE, J. C. 68P
HOCHACHKA, P. W. The functional significance of variants of fructose 1,6-diphosphatase in the gill and hypodermis of a marine crustacean. A kinetic study 781–793
HODGSON, B. *see* BARTLEY, I. M. 489–502
HOFMANN, T. *see* HARRIS, C. I. 34P–35P; TAKAHASHI, M. 35P
HOLBROOK, J. J. *see* GORE, M. G. 30P–31P
HOLGUIN, J. *see* CARDINAUD, R. 30P
HOLL, F. B. *see* SCAZZOCCHIO, C. 17P
HOLLAND, P. C., SENIOR, A. E. & SHERRATT, H. S. A. Mechanism of inhibition of fatty acid oxidation by pent-4-enoic acid: 3-oxoacyl-coenzyme A thiolase as the possible site of inhibition 79P–80P
HOLLAND, P. C. & SHERRATT, H. S. A. Mechanism of inhibition of fatty acid oxidation by pent-4-enoic acid: evidence against the coenzyme A-depletion hypothesis 79P
HOLME, G. *see* BARTLEY, I. M. 489–502
HOLMS, W. H. *see* EDGAR, W. 59P; HAMILTON, I. D. 62P–63P
HONG, C. I. *see* CHHEDA, G. B. 515–519
HOPKINS, R. P., BORGE, P. A. & CALLAGHAN, P. Dehydrogenation of DL-methylphenylcarbinol in the rat 26P–27P
HUGHES, I. E. *see* SALWAY, J. G. 37P
HUSKISSON, N. S. *see* WARD, P. F. V. 89P–90P
HUSSEY, H. & BADDILEY, J. Lipid intermediates in the biosynthesis of the wall teichoic acid in *Staphylococcus lactis* I3 39–50
HUSSEY, H. *see also* ANDERSON, R. G. 11–25
HUTCHINSON, D. W., JOHNSON, B. & KNELL, A. J. The reaction between bilirubin and aromatic diazo compounds 907–908
HUTSON, D. H., PICKERING, B. A. & DONNINGER, C. Phosphoric acid triester–glutathione alkyltransferase. A mechanism for the detoxification of dimethyl phosphate triesters 285–293

INAMDAR, A. R., RAMAKRISHNA KURUP, C. K. & RAMASARMA, T. Effect of hypobaric stress on enzymes of tryptophan metabolism 509–514
INMAN, F. P. *see* BUTCHKO, G. M. 801–807

IUPAC COMMISSION ON THE NOMENCLATURE OF ORGANIC CHEMISTRY & IUPAC–IUB COMMISSION ON BIOCHEMICAL NOMENCLATURE Amendments to rules for nomenclature of steroids 613–617
IUPAC COMMISSION ON THE NOMENCLATURE OF ORGANIC CHEMISTRY & IUPAC–IUB COMMISSION ON BIOCHEMICAL NOMENCLATURE Tentative rules for the nomenclature of carotenoids 741–752
IUPAC–IUB COMMISSION ON BIOCHEMICAL NOMENCLATURE Abbreviated nomenclature of synthetic polypeptides (polymerized amino acids). Revised recommendations (1971) 753–756
IUPAC–IUB COMMISSION ON BIOCHEMICAL NOMENCLATURE *see also* IUPAC COMMISSION ON THE NOMENCLATURE OF ORGANIC CHEMISTRY 613–617, 741–752

JACKSON, D. S. *see* ANDERSON, J. C. 179–186
JASANI, B. *see* EDGAR, W. 59P
JEACOCKE, R. E., NIVEN, D. F. & HAMILTON, W. A. The protonmotive force in *Staphylococcus aureus* 57P–58P
JEACOCKE, R. E. *see also* HAMILTON, W. A. 56P–57P
JELLINCK, P. H. *see* LYTTLE, C. R. 481–487
JERVIS, L. Purification of tobacco ribonuclease by affinity chromatography 29P–30P
JOHN, R. & THOMAS, J. Chemical compositions of elastins isolated from aortas and pulmonary tissues of humans of different ages 261–269
JOHNSON, B. *see* HUTCHINSON, D. W. 907–908
JOLLY, D. J. *see* CAMPBELL, A. M. 39P–40P
JONES, C. W., ACKRELL, B. A. C. & ERICKSON, S. K. The involvement of iron in the respiratory system of *Azotobacter vinelandii* 74P–75P
JONES, C. W. *see also* ACKRELL, B. A. C. 75P; ERICKSON, S. K. 73P–74P
JONES, J. M., CREETH, J. M. & KEKWICK, R. A. Thiol reduction of human α_2-macroglobulin. The subunit structure 187–197
JONES, M. & KING, H. K. Particulate malate oxidation in strictly aerobic bacteria: the respiratory system of *Moraxella lwoffi* 89P
JONES, R. W. & WILD, D. G. Relationships between the uptake of uracil and amino acids by *Candida utilis* 69P–70P
JUDAH, J. D. *see* GELLER, D. M. 865–874

KANG, A. H. *see* TOOLE, B. P. 715–720
KATO, K., HIROHATA, I., FISHMAN, W. H. & TSUKAMOTO, H. Intracellular transport of mouse kidney β-glucuronidase induced by gonadotrophin 425–435
KAYE, C. M. & YOUNG, L. The synthesis of mercapturic acids from allyl compounds in the rat 87P
KEKWICK, R. A. *see* JONES, J. M. 187–197
KEMP, M. B. The hexose phosphate synthetase of *Methylococcus capsulatus* 64P–65P
KEMPSON-JONES, G. F. *see* BORDER, D. J. 4P–6P
KENWORTHY, P. *see* DAVIES, D. D. 335–343
KHULLER, G. K. & BRENNAN, P. J. Further studies on the lipids of corynebacteria. The mannolipids of *Corynebacterium aquaticum* 369–373
KING, H. K. *see* JONES, M. 89P
KING, N. L. *see* WOOD, J. G. 48P
KNELL, A. J. *see* HUTCHINSON, D. W. 907–908
KNIGHT, M. *see* ORPIN, C. G. 819–831, 833–844
KNOX, W. E. *see* MCGEE, M. M. 669–674, 675–680; YIP, M. C. M. 893–899
KOLDOVSKÝ, O. *see* PALMIERI, M. J. 795–800
KORNBERG, H. L. & REEVES, R. E. Properties of *Escherichia coli* mutants with alterations in glucose uptake 58P–59P
KORNER, A. *see* BARDEN, N. 411–417; BEEBEE, T. 619–624
KOTYK, A. Transport of non-electrolytes in yeast 51P–52P
KOUNDAKJIAN, P. P. & SNOSWELL, A. M. 3-Hydroxy acid dehydrogenases in sheep tissues 449–452
KOUNDAKJIAN, P. P. *see also* SNOSWELL, A. M. 133–141
KUROSKY, A. *see* HARRIS, C. I. 34P–35P
KUTTAN, R. & RADHAKRISHNAN, A. N. Studies on the biosynthesis of *sym*-homospermidine in sandal (*Santalum album* L.) 61–67
KYRTOPOULOS, S. A. & SATCHELL, D. P. N. An abnormal pattern of product inhibition observed in phosphate acetyltransferase catalysis 319–320
KYU, M. H. *see* PATEL, A. J. 85P

LAKE, B. G. & PARKE, D. V. Interaction of safrole and isosafrole with hepatic microsomal haemoproteins 23P
LAMERS-STAHLHOFEN, G. J. M. *see* MULDER, E. 649–659
LAPETINA, E. G. & MICHELL, R. H. Phosphatidylinositol turnover stimulated by acetylcholine: subcellular distribution in rat cerebral cortex 36P–37P
LHOAS, P. *see* BORDER, D. J. 4P–6P
LIU-OSHEROFF, P. & GUILLORY, R. J. The enzymic properties of a modified ox heart myosin adenosine triphosphatase on covalent binding to an insoluble cellulose matrix 419–424
LLOYD, A. G. *see* GATEHOUSE, P. W. 661–668
LLOYD, D. *see* CARTLEDGE, T. G. 693–703
LLOYD-DAVIES, K. A., MICHELL, R. H. & COLEMAN, R. Glycerylphosphorylcholine phosphodiesterase in rat liver plasma membranes 36P
LLOYD-DAVIES, K. A., MICHELL, R. H. & COLEMAN, R. Glycerylphosphorylcholine phosphodiesterase in rat liver. Subcellular distribution and localization in plasma membranes 357–368
LOKE, K. H. & GOWER, D. B. The intermediary role of 5-pregnene-3β,20β-diol in the biosynthesis of 16-unsaturated C_{19} steroids in boar testis 545–551
LOUIS, B. G. & FITT, P. S. Isolation and properties of highly purified *Halobacterium cutirubrum* deoxyribonucleic acid-dependent ribonucleic acid polymerase 69–80
LOUIS, B. G. & FITT, P. S. The role of *Halobacterium cutirubrum* deoxyribonucleic acid-dependent ribonucleic acid polymerase subunits in initiation and polymerization 81–86
LOWE, C. R. *see* DEAN, P. D. G. 11P–12P
LOWTHER, D. A. & NATARAJAN, M. The influence of glycoprotein on collagen fibril formation in the presence of chondroitin sulphate proteoglycan 607–608
LUHA, A. A. & WHITTAKER, P. A. The kinetics of respiratory degeneration and regeneration during drug treatment of two *petite*-negative yeasts 43P–44P
LYTTLE, C. R. & JELLINCK, P. H. Metabolism of [4-^{14}C]-oestradiol by oestrogen-induced uterine peroxidase 481–487

MACDONALD, D. W. & COVE, D. J. Studies of temperature-sensitive *cnx* mutants in the fungus *Aspergillus nidulans* 19P
MACINTYRE, I. *see* BYFIELD, P. G. H. 199–206
MACKINNON, P. C. B. *see* TER HAAR, M. B. 7P
MAHMOOD, A. *see* BUSWELL, J. A. 45P
MALATHI, K. *see* SATYANARAYANA RAO, M. R. 553–559
MALKINSON, A. M. & ASHWORTH, J. M. Extracellular concentrations of adenosine 3′:5′-cyclic monophosphate during axenic growth of myxamoebae of the cellular slime mould *Dictyostelium discoideum* 611–612
MALLINSON, C. B. *see* HEITZMAN, R. J. 27P–28P
MALTHE-SØRENSSEN, D. & FONNUM, F. Multiple forms of choline acetyltransferase in several species demonstrated by isoelectric focusing 229–236
MANTLE, P. G. *see* BASSETT, R. A. 3P–4P
MARJANEN, L. Intracellular localization of aldehyde dehydrogenase in rat liver 633–639
MARTINELLI, S. D. Biochemical investigations on conidiation of *Aspergillus nidulans* in submerged liquid culture 16P
MASSEY, V., EDMONDSON, D., PALMER, G., BEACHAM, L. M., III & ELION, G. B. The separation of functional and non-functional xanthine oxidase by affinity chromatography 10P–11P
MASTERS, C. J. *see* NEILL, A. R. 375–385
MCCABE, M. The diffusion coefficient of caffeine through agar gels containing a hyaluronic acid–protein complex. A model system for the study of the permeability of connective tissues 249–253
MCDONALD-GIBSON, R. G. *see* MCDONALD-GIBSON, W. J. 40P–41P
MCDONALD-GIBSON, W. J., MCDONALD-GIBSON, R. G. & GREAVES, M. W. Metabolism of prostaglandin E_1 by human plasma 40P–41P
MCELWEE, P. G. & SCOTT, J. M. Folate metabolism in *Streptococcus faecalis* 901–905
MCGEE, M. M., GREENGARD, O. & KNOX, W. E. Liver phenylalanine hydroxylase activity in relation to blood concentrations of tyrosine and phenylalanine in the rat 675–680
MCGEE, M. M., GREENGARD, O. & KNOX, W. E. The quantitative determination of phenylalanine hydroxylase in rat tissues. Its developmental formation in liver 669–674
MCGIVAN, J. D. & CHAPPELL, J. B. The transport of metabolites across the mitochondrial membranes 54P–56P
MCILWAIN, H. *see* PULL, I. 91P
MCPHERSON, M. *see* COOPER, R. H. 143–154
METRIONE, R. M. *see* FRANKLIN, S. G. 207–213
MEYNELL, G. G. *see* HARDY, K. G. 69P
MICHELL, R. H. *see* LAPETINA, E. G. 36P–37P; LLOYD-DAVIES, K. A. 357–368, 36P; WHEELER, G. E. 64P
MIDDLETON, M. C. & WALKER, D. G. Comparison of the properties of two forms of pyruvate kinase in rat liver and determination of their separate activities during development 721–731
MIDGLEY, M. The transport of methyl α-glucoside by *Pseudomonas aeruginosa* 50P–51P
MILES, R. J. & PIRT, S. J. Inhibition of the utilization of lactose and other carbon sources by 3-deoxy-3-fluoro-D-glucose in *Escherichia coli* 60P–61P
MILLBURN, P. *see* CAPEL, I. D. 25P–26P; HIROM, P. C. 25P
MILLER, L. Initiation of the synthesis of ribosomal ribonucleic acid precursor in different regions of frog (*Rana pipiens*) gastrulae 733–735
MITCHELL, P. *see* WEST, I. C. 56P
MITROPOULOS, K. A. *see* GIBBONS, G. F. 315–317
MOORE, B. G. & SPENCER, B. Non-specific uptake and specific binding of sulphate by *Aspergillus nidulans* 72P
MOSBACH, K., GUILFORD, H., OHLSSON, R. & SCOTT, M. General ligands and (co)substrate elution in affinity chromatography 12P–13P
MOSBACH, K., GUILFORD, H., OHLSSON, R. & SCOTT, M. General ligands in affinity chromatography. Cofactor-substrate elution of enzymes bound to the immobilized nucleotides adenosine 5′-monophosphate and nicotinamide–adenine dinucleotide 625–631
MULDER, E., LAMERS-STAHLHOFEN, G. J. M. & VAN DER MOLEN, H. J. Isolation and characterization of 17β-hydroxy steroid dehydrogenase from human erythrocytes 649–659
MURRAY, K. *see* BROCKES, J. P. 1–10

NATARAJAN, M. *see* LOWTHER, D. A. 607–608
NEILL, A. R. & MASTERS, C. J. Metabolism of fatty acids by bovine spermatozoa 375–385
NEMETH, A. M. *see* BURCHELL, B. 81P–82P
NEWBOLD, P. C. H. *see* DANN, J. G. 28P–29P
NICHOLLS, M. R. *see* GELLER, D. M. 865–874
NIVEN, D. F. & HAMILTON, W. A. The mechanism of energy coupling in the active transport of amino acids by *Staphylococcus aureus* 58P
NIVEN, D. F. *see also* JEACOCKE, R. E. 57P–58P

OFFORD, R. E. *see* SNELL, D. T. 167–178
OHLSSON, R. *see* MOSBACH, K. 625–631, 12P–13P
OLAVESEN, A. H. *see* GATEHOUSE, P. W. 661–668
OLSEN, K. W. *see* TRAYER, I. P. 9P–10P
ORPIN, C. G., KNIGHT, M. & EVANS, W. C. The bacterial oxidation of *N*-methylisonicotinate, a photolytic product of paraquat 833–844
ORPIN, C. G., KNIGHT, M. & EVANS, W. C. The bacterial oxidation of picolinamide, a photolytic product of diquat 819–831
OSIYEMI, F. O. *see* HIROM, P. C. 25P
OTTOLENGHI, P. *see* WALLIS, O. C. 46P–47P

PACKTER, N. M. & WARD, A. C. Biosynthesis of fatty acids and phenols by stationary-phase cultures of *Aspergillus fumigatus* 14P–15P
PADMANABAN, G. *see* SATYANARAYANA RAO, M. R. 553–559
PAGE, M. M. & COVE, D. J. Alcohol and amine catabolism in the fungus *Aspergillus nidulans* 17P
PAIN, R. H. *see* SNARY, D. 68P–69P
PALMER, G. *see* MASSEY, V. 10P–11P
PALMER, J. M. & COLEMAN, J. O. D. Pathways of malate oxidation in isolated plant mitochondria 42P–43P
PALMER, R. M. *see* READE, A. E. 32P
PALMIERI, M. J. & KOLDOVSKÝ, O. Effects of proteins and polynucleotides on the activity of various hydrolases 795–800
PARKE, D. V. *see* LAKE, B. G. 23P

PATEL, A. J., BALÁZS, R., KYU, M. H. & CAVANAGH, J. B. Effects of portocaval anastomosis on the metabolism of [1-^{14}C]acetate and on metabolic compartmentation in rat brain 85P
PEARSON, A. D. & ELLWOOD, D. C. The effect of growth conditions on the chemical composition and endotoxicity of walls of *Aerobacter aerogenes* N.C.T.C. 418 72P–73P
PÉQUIGNOT, E. *see* DE GASQUET, P. 445–447
PENNOCK, J. F. *see* WALTON, M. J. 471–479
PERL, M. *see* GROSSMAN, S. 909–910
PERRY, S. V. *see* WILKINSON, J. M. 215–228
PESTELL, R. Q. W. & WOODLAND, H. R. A procedure for the isolation and determination of deoxyribose derivatives 589–595
PESTELL, R. Q. W. *see also* WOODLAND, H. R. 597–605
PETERS, R. F. *see* BULLOCK, G. R. 881–892
PHELPS, C. F. *see* HANDLEY, C. J. 911–912
PHILLIPS, B. W. *see* ATKINSON, A. 63P–64P
PHILLIPS, J. C. *see* HEATH, D. F. 453–470
PHILO, R. D. *see* SELWYN, M. J. 66P–67P
PICKERING, B. A. *see* HUTSON, D. H. 285–293
PICKERING, W. R. & WOODS, R. A. Altered purine permease activity in a purine-analogue-resistant mutant of *Saccharomyces cerevisiae* 70P
PINSKY, A. *see* GROSSMAN, S. 909–910
PIRT, S. J. *see* MILES, R. J. 60P–61P
PISKORZ, C. F. *see* CHHEDA, G. B. 515–519
PLETSCHER, A. *see* DA PRADA, M. 681–683
POOLE, A. R. *see* DINGLE, J. T. 443–444
PORATH, J. *see* GABEL, D. 13P–14P
PORTEOUS, J. W. & PRITCHARD, P. A four-compartment model of glucose transport and metabolism in rat intestine *in vitro* 80P
PORTEOUS, J. W. & PRITCHARD, P. Conditions required to maintain linear rates of glucose absorption and transport by rat small intestine 61P
PORTEOUS, J. W. & PRITCHARD, P. Quantitative fate of D-glucose during its absorption, accumulation, metabolism and transport by rat small intestine 61P–62P
POWELL, G. M. *see* GATEHOUSE, P. W. 661–668
PRESTON, F. B. & GRAHAM, G. N. Determination of the molecular weights of actins from different species by gel chromatography 75P–76P
PRITCHARD, P. *see* PORTEOUS, J. W. 61P, 61P–62P, 80P
PULL, I. & MCILWAIN, H. Output of [^{14}C]adenine derivatives on electrical excitation of tissues from the brain: calcium ion-sensitivity and an accompanying reuptake process 91P

RADHAKRISHNAN, A. N. *see* KUTTAN, R. 61–67
RAMAKRISHNA KURUP, C. K. *see* INAMDAR, A. R. 509–514
RAMASARMA, T. *see* INAMDAR, A. R. 509–514
RAO, L. *see* HARRIS, C. I. 34P–35P
RATHMELL, W. G. & BENDALL, D. S. The peroxidase-catalysed oxidation of a chalcone and its possible physiological significance 125–132
RATLEDGE, C. *see* GILL, C. O. 59P–60P
RATTI, G. *see* BORDER, D. J. 4P–6P
READE, A. E., SMITH, R. H. & PALMER, R. M. The production of protein for non-ruminant feeding by growing filamentous fungi on barley 32P
READING, H. W. Effects of some adrenocorticotrophin analogues on protein synthesis in brain 7P
REEVES, R. E. *see* KORNBERG, H. L. 58P–59P
RESHEF, L. & HANSON, R. W. The interaction of catecholamines and adrenal corticosteroids in the induction of phosphopyruvate carboxylase in rat liver and adipose tissue 809–818
RIBBONS, D. W. *see* HIGGINS, I. J. 65P
RIDGE, J. W. Hypoxia and the energy charge of the cerebral adenylate pool 351–355
ROBERTS, S. Mechanisms of protein synthesis in the central nervous system 6P
ROBERTSON, J. S. & DUNSTAN, P. J. Metabolism of hydroanthracenones in rabbits 119–123
ROBINSON, J. H., ANTHONY, C. & DRABBLE, W. T. Regulation of the acidic amino acid permease of *Aspergillus nidulans* 71P–72P
RODNIGHT, R. *see* CASTILLON, R. 83P–84P
ROSE, A. H. *see* WHEELER, G. E. 64P
ROSE, M. S. & ALDRIDGE, W. N. Oxidative phosphorylation. The effect of anions on the inhibition by triethyltin of various mitochondrial functions, and the relationship between this inhibition and binding of triethyltin 51–59
ROSE, S. P. R. *see* HAMBLEY, J. 90P
ROWE, C. E. *see* VYVODA, O. S. 86P–87P
ROWLAND, I. & TRISTRAM, H. Specificity of the proline permease of *Escherichia coli* 70P
ROWSELL, E. V., AL-TAI, A. H., CARNIE, J. A. & ROWSELL, K. V. Liver L-serine–pyruvate aminotransferase activity in different animal species 27P
ROWSELL, E. V., SNELL, K., CARNIE, J. A. & ROWSELL, K. V. The subcellular distribution of rat liver L-alanine–glyoxylate aminotransferase in relation to a pathway for glucose formation involving glyoxylate 155–165
ROWSELL, E. V. *see also* BUTTERY, P. J. 81P
ROWSELL, K. V. *see* ROWSELL, E. V. 155–165, 27P
ROY, A. B. *see* GATEHOUSE, P. W. 661–668
RUSSELL, A. E. & COOPER, D. R. Effect of compounds of the urea–guanidinium class on renaturation and thermal stability of acid-soluble collagen 855–863
RYAN, J. N. & WOESSNER, J. F., JR. Oestradiol inhibits collagen breakdown in the involuting rat uterus 705–713

SALEM, A. R. & FOSTER, M. A. The microbial biosynthesis of methionine 845–853
SALWAY, J. G. & HUGHES, I. E. Effects of electrical stimulation, tetrodotoxin and cinchocaine on phosphoinositide metabolism in isolated rabbit vagus nerve 37P
SATCHELL, D. P. N. *see* KYRTOPOULOS, S. A. 319–320
SATYANARAYANA RAO, M. R., MALATHI, K. & PADMANABAN, G. The relationship between δ-aminolaevulinate synthetase induction and the concentrations of cytochrome *P*-450 and catalase in rat liver 553–559
SCAZZOCCHIO, C. & HOLL, F. B. Nitrate repression of xanthine dehydrogenase II in *Aspergillus nidulans* 17P
SCAZZOCCHIO, C. *see also* ARST, H. N. 18P
SCHOFIELD, J. G. *see* COOPER, R. H. 143–154
SCOTT, J. M. *see* MCELWEE, P. G. 901–905
SCOTT, M. *see* MOSBACH, K. 625–631; 12P–13P
SEETHARAM BHAT, K. *see* SELVARAJ, R. J. 255–259
SELVARAJ, R. J. & SEETHARAM BHAT, K. Phagocytosis and leucocyte enzymes in protein–calorie malnutrition 255–259

SELWYN, M. J., DUNNETT, S. J., PHILO, R. D. & DAWSON, A. P. Factors affecting the inhibition of mitochondrial adenosine triphosphatase by trialkyltin compounds 66P–67P
SELWYN, M. J. *see also* DAWSON, A. P. 67P
SENIOR, A. E. *see* HOLLAND, P. C. 79P–80P
SHAW, W. H. & ANDERSON, J. W. Purification, properties and substrate specificity of adenosine triphosphate sulphurylase from spinach leaf tissue 237–247
SHERRATT, H. S. A. *see* HOLLAND, P. C. 79P, 79P–80P
SHINDLER, J. S. *see* BARDSLEY, W. G. 875–879
SHUG, A. *see* HENDERSON, P. J. F. 65P–66P
SIMPSON, P. *see* BULLOCK, G. R. 881–892
SKALA, J. *see* HAHN, P. 107–111
SLINGSBY, C. & CROFT, L. R. Microheterogeneity at the *C*-terminus of γ-crystallin fraction IVb 609–610
SMITH, R. H. *see* READE, A. E. 32P
SMITH, R. L. *see* CAPEL, I. D. 25P–26P; HIROM, P. C. 25P
SMITH, W. R. D. *see* BAYOUMI, R. A. 84P–85P
SMYTH, D. G. *see* FANGER, M. W. 757–765, 767–774
SNARY, D. & ALLEN, A. Studies on gastric mucoproteins. The production of radioactive mucoproteins by pig gastric mucosal scrapings *in vitro* 577–587
SNARY, D., ALLEN, A. & PAIN, R. H. Tertiary structure in pig gastric mucus 68P–69P
SNELL, D. T. & OFFORD, R. E. The amino acid sequence of the B-protein of bacteriophage ZJ-2 167–178
SNELL, K. *see* ROWSELL, E. V. 155–165
SNOSWELL, A. M. & KOUNDAKJIAN, P. P. Relationships between carnitine and coenzyme A esters in tissues of normal and alloxan-diabetic sheep 133–141
SNOSWELL, A. M. *see also* KOUNDAKJIAN, P. P. 449–452
SPENCER, B. *see* MOORE, B. G. 72P
STEWART, C. S. Buffer capacity of nutrient media in relation to that of rumen fluid 68P
STILL, J. L. *see* BERMINGHAM, M. A. C. 45P–46P
STONES, W. R. *see* ATKINSON, A. 63P–64P
STOVIN, P. *see* DINGLE, J. T. 443–444
SZEKELY, M. *see* EDY, V. G. 39P

TAKAHASHI, M. & HOFMANN, T. Evidence for an acyl intermediate in pepsin-catalysed reactions 35P
TATA, J. R. *see* ANDREWS, T. M. 6P
TAYLOR, J. G. *see* WOOTTON, J. C. 31P–32P
TEIXEIRA, A. *see* DAVIES, D. D. 335–343
TER HAAR, M. B. & MACKINNON, P. C. B. Cerebral protein metabolism in relation to neuroendocrine function 7P
THATCHER, D. R. & CAIN, R. B. The kinetic properties of 3-carboxy-*cis*–*cis*-muconate cycloisomerase 33P–34P
THATCHER, D. R. & CAIN, R. B. The purification and physical properties of 3-carboxy-*cis*–*cis*-muconate cycloisomerase 32P–33P
THOMAS, B. R. A model for the transfer ribonucleic acid–messenger ribonucleic acid complex of protein biosynthesis 47P
THOMAS, J. *see* JOHN, R. 261–269
TOOLE, B. P., KANG, A. H., TRELSTAD, R. L. & GROSS, J. Collagen heterogeneity within different growth regions of long bones of rachitic and non-rachitic chicks 715–720
TOON, P., BROWN, P. E. & BADDILEY, J. The lipid-teichoic acid complex in the cytoplasmic membrane of *Streptococcus faecalis* N.C.I.B. 8191 399–409
TRANZER, J. P. *see* DA PRADA, M. 681–683
TRAYER, I. P. & OLSEN, K. W. Affinity-chromatography studies on the A protein of lactose synthetase 9P–10P
TRAYER, I. P. *see also* WILKINSON, J. M. 215–228
TRELSTAD, R. L. *see* TOOLE, B. P. 715–720
TRISTRAM, H. *see* ROWLAND, I. 70P; WILLSHAW, G. 71P
TROP, M. *see* GROSSMAN, S. 909–910
TSUKAMOTO, H. *see* KATO, K. 425–435
TURBERT, H. B. *see* HIROM, P. C. 25P
TURNER, J. M. *see* BELL, S. C. 77P
TURNER, K. *see* BYFIELD, P. G. H. 199–206
TURNER, W. B. & CARTER, S. B. The chemistry and some biological effects of the cytochalasins 1P

VAN DER MOLEN, H. J. *see* MULDER, E. 649–659
VAUGHAN, P. F. T. & BUTT, V. S. The expression of catechol oxidase activity during the hydroxylation of *p*-coumaric acid by spinach-beet phenolase 641–647
VEECH, R. L., GUYNN, R. & VELOSO, D. The time-course of the effects of ethanol on the redox and phosphorylation states of rat liver 387–397
VELOSO, D. *see* VEECH, R. L. 387–397
VENIS, M. A. Promotion of deoxyribonucleic acid-dependent ribonucleic acid synthesis by protein isolated on a plant-hormone affinity column 29P
VERNON, R. G. & WALKER, D. G. Gluconeogenesis from lactate in the developing rat. Studies *in vivo* 531–537
VERNON, R. G. & WALKER, D. G. Glucose metabolism in the developing rat. Studies *in vivo* 521–529
VINCENT, R. *see* HALLIWELL, G. 43P
VIRDEN, R. The molecular weights of two forms of carbamoyl phosphate synthase from rat liver 503–508
VYVODA, O. S. & ROWE, C. E. Glyceride lipases in brain and their stimulation by noradrenaline and 5-hydroxytryptamine 86P–87P

WALKDEN, V. *see* CATER, B. R. 37P–38P
WALKER, D. G. *see* MIDDLETON, M. C. 721–731; VERNON, R. G. 521–529; 531–537
WALKER, J. S. *see* BARTLEY, I. M. 489–502
WALLIS, O. C., OTTOLENGHI, P. & WHITTAKER, P. A. Induction of *petite* mutants in yeast by starvation in glycerol 46P–47P
WALTON, M. J. & PENNOCK, J. F. Some studies on the biosynthesis of ubiquinone, isoprenoid alcohols, squalene and sterols by marine invertebrates 471–479
WARD, A. C. *see* PACKTER, N. M. 14P–15P
WARD, P. F. V. & HUSKISSON, N. S. Defluorination of fluoroacetate by lettuce 89P–90P
WATSON, G. K. & CAIN, R. B. Metabolism of pyridine by soil bacteria 44P
WATTS, R. W. E. *see* BLACKBURN, M. J. 40P
WEST, I. C. & MITCHELL, P. Proton movements coupled to the transport of β-galactosides into *Escherichia coli* 56P

WHEELER, G. E., MICHELL, R. H. & ROSE, A. H. Phosphatidylinositol kinase activity in *Saccharomyces cerevisiae* 64P
WHITE, A. M. *see* BULLOCK, G. R. 881–892
WHITELEY, J. M. *see* DANN, J. G. 28P–29P
WHITEMAN, P. D. A new micro method for the determination of acid glycosaminoglycans in urine 87P–88P
WHITTAKER, P. A. *see* LUHA, A. A. 43P–44P; WALLIS, O. C. 46P–47P
WILCHEK, M. Affinity chromatography: a tool in protein chemistry 7P–9P
WILD, D. G. *see* JONES, R. W. 69P–70P
WILKINSON, J. M., PERRY, S. V., COLE, H. A. & TRAYER, I. P. The regulatory proteins of the myofibril. Separation and biological activity of the components of inhibitory-factor preparations 215–228
WILLIAMS, B., DRING, L. G. & WILLIAMS, R. T. Benzene as a metabolite of triphenyl-lead acetate in the rat 24P–25P
WILLIAMS, R. T. *see* CAPEL, I. D. 25P–26P; HIROM, P. C. 25P; WILLIAMS, B. 24P–25P
WILLSHAW, G. & TRISTRAM, H. Specificity of the aromatic amino acid permeases of *Escherichia coli* 71P
WISEMAN, R. L., FOTHERGILL, J. E. & FOTHERGILL, L. A. Replacement of asparagine by aspartic acid in hen ovalbumin and a difference in immunochemical reactivity 775–780
WOESSNER, J. F., JR. *see* RYAN, J. N. 705–713
WOOD, J. G. & KING, N. L. The metabolism of encephalitogenic protein from rat brain 48P
WOODLAND, H. R. & PESTELL, R. Q. W. Determination of the nucleoside triphosphate contents of eggs and oocytes of *Xenopus laevis* 597–605
WOODLAND, H. R. *see also* PESTELL, R. Q. W. 589–595
WOODS, R. A. *see* PICKERING, W. R. 70P
WOOTTON, J. C., TAYLOR, J. G. & FINCHAM, J. R. S. The subunit structure of the nicotinamide–adenine dinucleotide phosphate-dependent glutamate dehydrogenase of *Neurospora crassa* 31P–32P
WORK, T. S. *see* HERNANDEZ, A. 6P

YIP, M. C. M. & KNOX, W. E. Function of arginase in lactating mammary gland 893–899
YOUNG, J. M. *see* HILEY, C. R. 86P
YOUNG, L. *see* KAYE, C. M. 87P

Index of Subjects

Note. Pages in *Proceedings of the Biochemical Society* are distinguished by P.

[1-^{14}C]Acetate, effects of portocaval anastomosis on the metabolism of, and on metabolic compartmentation in rat brain (Patel, A. J., Balázs, R., Kyu, M. H. & Cavanagh, J. B.) 85P

N-Acetylcysteine, effect of reduction with, on the subunit structure of human α_2-macroglobulin (Jones, J. M., Creeth, J. M. & Kekwick, R. A.) 187–197

N-Acetyl-β-glucosaminidase, effects of deoxyribonucleic acid on the activities of, and various other hydrolases from mammalian sources (Palmieri, M. J. & Koldovský, O.) 795–800

Acid β-galactosidase, *see* β-Galactosidase, acid

Acid glycosaminoglycans, *see* Glycosaminoglycans, acid

Acid phosphatase, *see* Phosphatase, acid

Acid proteinase, *see* Proteinase, acid

Actin, aggregation phenomena occurring in solutions of, during depolymerization (Gillibrand, I. M.) 737–739

Actins, determination of the molecular weights of, from different species by gel chromatography (Preston, F. B. & Graham, G. N.) 75P–76P

[^{14}C]Adenine, effects of calcium ion-sensitivity and an accompanying re-uptake process on the output of derivatives of, on electrical excitation of tissues from the brain (Pull, I. & McIlwain, H.) 91P

Adenine nucleotides, effect of hypoxia on the concentrations of, in rat brain (Ridge, J. W.) 351–355

Adenine nucleotides, effects of, on the oxidation of pyruvate and 2-oxoglutarate by blowfly flight-muscle mitochondria (Hansford, R. G.) 271–283

Adenine nucleotides, modification by coenzyme A of the bongkrekic acid inhibition of the translocation of, in mitochondria (Henderson, P. J. F. & Shug, A.) 65P–66P

Adenine nucleotides, time-course of the effects of ethanol on the concentrations of, in rat liver (Veech, R. L., Guynn, R. & Veloso, D.) 387–397

Adenosine 3′:5′-cyclic monophosphate, effects of early visual experiences on the metabolism of, in chick brain (Hambley, J., Rose, S. P. R. & Bateson, P. P. G.) 90P

Adenosine 3′:5′-cyclic monophosphate, effects of, on the induction of phosphopyruvate carboxylase in rat liver and adipose tissue (Reshef, L. & Hanson, R. W.) 809–818

Adenosine 3′:5′-cyclic monophosphate, effects of prostaglandins on the concentration of, in and the release of growth hormone by ox anterior pituitary gland *in vitro* (Cooper, R. H., McPherson, M. & Schofield, J. G.) 143–154

Adenosine 3′:5′-cyclic monophosphate, extracellular concentrations of, during axenic growth of myxamoebae of *Dictyostelium discoideum* strain Ax-2 (Malkinson, A. M. & Ashworth, J. M.) 611–612

Adenosine 5′-monophosphate, cofactor–substrate elution of nicotinamide-adenine dinucleotide-dependent dehydrogenases bound to, immobilized by attachment to Sepharose 4B (Mosbach, K., Guilford, H., Ohlsson, R. & Scott, M.) 625–631

Adenosine monophosphate, effect of hypoxia on the size of the pool of, in rat brain (Ridge, J. W.) 351–355

Adenosine triphosphatase, mitochondrial, factors affecting the inhibition of, by trialkyltin compounds (Selwyn, M. J., Dunnett, S. J., Philo, R. D. & Dawson, A. P.) 66P–67P

Adenosine triphosphatase, myosin, modified, enzymic properties of, from ox heart on covalent binding to an insoluble *p*-aminobenzylcellulose matrix (Liu-Osheroff, P. & Guillory, R. J.) 419–424

Adenosine triphosphatase, sodium-plus-potassium ion-stimulated, increased activity of, in rat brain during electrically induced convulsions (Castillon, R. & Rodnight, R.) 83P–84P

Adenosine triphosphatases, use of zonal centrifugation to determine the subcellular distribution of, in aerobically grown glucose-repressed *Saccharomyces carlsbergensis* (Cartledge, T. G. & Lloyd, D.) 693–703

Adenosine triphosphate, relief by, of the inhibition of deoxyribonucleic acid-dependent ribonucleic acid polymerases in intact rat liver nuclei by the exotoxin from *Bacillus thuringiensis* (Beebee, T., Korner, A. & Bond, R. P. M.) 619–624

Adenosine triphosphate sulphurylase, purification, properties and substrate specificity of, from spinach leaves (Shaw, W. H. & Anderson, J. W.) 237–247

Adipose tissue, brown, rat, metabolism of carnitine in, during development (Hahn, P. & Skala, J.) 107–111

Adipose tissue, clearing-factor lipase activity in heart, diaphragm and, of the genetically obese mouse (*ob*/*ob*) (de Gasquet, P. & Péquignot, E.) 445–447

Adipose tissue, rat, interaction of catecholamines and adrenal corticosteroids in the induction of phosphopyruvate carboxylase in, and liver (Reshef, L. & Hanson, R. W.) 809–818

Adrenal-gland medulla, ox, lipid composition of membranes of chromaffin granules of (Da Prada, M., Pletscher, A. & Tranzer, J. P.) 681–683

Aerobacter aerogenes, *see Klebsiella aerogenes*

Affinity chromatography, *see* Chromatography, affinity

Age, effect of, on the chemical composition of elastins from human aortas and pulmonary tissues (John, R. & Thomas, J.) 261–269

L-Alanine–glyoxylate aminotransferase, subcellular distribution of, in rat liver in relation to a pathway for glucose biosynthesis involving glyoxylate (Rowsell, E. V., Snell, K., Carnie, J. A. & Rowsell, K. V.) 155–165

Albumin, serum, intracellular distribution of, and its possible precursors in rat liver (Geller, D. M., Judah, J. D. & Nicholls, M. R.) 865–874

Aldehyde dehydrogenase, intracellular localization of, in rat liver (Marjanen, L.) 633–639

Aldehyde/ketone (aromatic) reductase, kidney, rabbit, activity of, towards hydroanthracenones (Robertson, J. S. & Dunstan, P. J.) 119–123

Alkaline phosphatase, *see* Phosphatase, alkaline

n-Alkylbenzene-*p*-sulphonates, metabolism of, by *Vibrio* sp. (Bird, J. A. & Cain, R. B.) 46P

Alloxan-diabetes, *see* Diabetes, alloxan-

2-Allyl-2-isopropylacetamide, relationship between 5-aminolaevulinate synthetase induction and the concentrations of cytochrome *P*-450 and catalase in rat liver after the administration of (Satyanarayana Rao, M. R., Malathi, K. & Padmanaban, G.) 553–559
Amines, catabolism of ethanol and, in *Aspergillus nidulans* (Page, M. M. & Cove, D. J.) 17P
Amino acid (acidic) permease, regulation of, in *Aspergillus nidulans* (Robinson, J. H., Anthony, C. & Drabble, W. T.) 71P–72P
Amino acid (aromatic) permeases, specificity of, of *Escherichia coli* (Willshaw, G. & Tristram, H.) 71P
Amino acid compositions of elastins isolated from aortas and pulmonary tissues of humans of different ages (John, R. & Thomas, J.) 261–269
Amino acid sequence around a variable asparagine/aspartic acid residue in hen's-egg ovalbumin (Wiseman, R. L., Fothergill, J. E. & Fothergill, L. A.) 775–780
Amino acid sequence, *C*-terminal, microheterogeneity of, of fraction IVb of calf lens γ-crystallin (Slingsby, C. & Croft, L. R.) 609–610
Amino acid sequence of the B-protein component of the coat protein of bacteriophage ZJ-2 (Snell, D. T. & Offord, R. E.) 167–178
Amino acids, applications of the ion-gradient hypothesis to the problem of the mechanism of the transport of, in micro-organisms and mammalian systems (Eddy, A. A.) 52P–54P
Amino acids, mechanism of energy-coupling in the active transport of, by *Staphylococcus aureus* (Niven, D. F. & Hamilton, W. A.) 58P
Amino acids, polymerized, revised recommendations for the abbreviated nomenclature of (IUPAC–IUB Commission on Biochemical Nomenclature) 753–756
Amino acids, relationships between the uptake of uracil and, by *Candida utilis* (Jones, R. W. & Wild, D. G.) 69P–70P
Aminoacyl-transfer-ribonucleic acid, decreased capacity of rat liver 40S ribosomal subunits for the binding of, resulting from hypophysectomy (Barden, N. & Korner, A.) 411–417
p-Aminobenzylcellulose, enzymic properties of a modified ox heart myosin adenosine triphosphatase on covalent binding to an insoluble matrix of (Liu-Osheroff, P. & Guillory, R. J.) 419–424
4-Aminobutyrate shunt, effects of vitamin B_6 deficiency on the development of, in rat brain (Bayoumi, R. A. & Smith, W. R. D.) 84P–85P
5-Aminolaevulinate synthetase, relationship between the induction of, and the concentrations of cytochrome *P*-450 and catalase in rat liver after the administration of 2-allyl-2-isopropylacetamide (Satyanarayana Rao, M. R., Malathi, K. & Padmanaban, G.) 553–559
Androsta-5,16-dien-3β-ol, intermediary role of pregn-5-ene-3β,20β-diol in the biosynthesis of, from pregnenolone in pig testis (Loke, K. H. & Gower, D. B.) 545–551
Androst-4-ene-3,17-dione, reduction of, by 17β-hydroxy steroid dehydrogenase isolated from human erythrocytes (Mulder, E., Lamers-Stahlhofen, G. J. M. & Van der Molden, H. J.) 649–659
Anions, effects of, on the inhibition by triethyltin of various functions of rat liver mitochondria *in vitro* (Rose, M. S. & Aldridge, W. N.) 51–59
Anoxia, effect of, on the energy charge of the adenylate pool in rat brain (Ridge, J. W.) 351–355
Anthracenones, hydrogenated, metabolism of, in the rabbit (Robertson, J. S. & Dunstan, P. J.) 119–123
Antibody, use of precipitation with, followed by isoelectric focusing for the separation of serum albumin from its possible intracellular precursors in rat liver (Geller, D. M., Judah, J. D. & Nicholls, M. R.) 865–874
Aorta, chemical compositions of elastins isolated from, of humans of different ages (John, R. & Thomas, J.) 261–269
Arctic king-crab (*Paralithodes camtschatica*), functional significance of variants of fructose 1,6-diphosphatase in the gill and hypodermis of (Hochachka, P. W.) 781–793
Arginase, function of, in lactating rat mammary gland (Yip, M. C. M. & Knox, W. E.) 893–899
Asparagine residue, replacement of, by an aspartic acid residue in hen's-egg ovalbumin and a difference in the immunochemical reactivity of the two genetic variants (Wiseman, R. L., Fothergill, J. E. & Fothergill, L. A.) 775–780
Aspartic acid residue, replacement of an asparagine residue by, in hen's-egg ovalbumin and a difference in the immunochemical reactivity of the two genetic variants (Wiseman, R. L., Fothergill, J. E. & Fothergill, L. A.) 775–780
Aspergillus nidulans, biochemical studies on conidiation of, in submerged liquid culture (Martinelli, S. D.) 16P
Aspergillus nidulans, studies of temperature-sensitive *cnx* mutants of (MacDonald, D. W. & Cove, D. J.) 19P

Bacillus brevis A.T.C.C. 10068, use of acid alumina and Sephadex LH-20 for the separation and characterization of ethanol-soluble peptides produced by (Bartley, I. M., Hodgson, B., Walker, J. S. & Holme, G.) 489–502
Bacillus licheniformis A.T.C.C. 9945, biosynthesis of the cell-wall teichoic acid in the membrane of (Hancock, I. C. & Baddiley, J.) 27–37
Bacillus licheniformis A.T.C.C. 9945, organization of enzymes and isoprenoid phosphates involved in cell-wall biosynthesis in the membrane of (Anderson, R. G., Hussey, H. & Baddiley, J.) 11–25
Bacillus megaterium N.C.I.B. 8508, biosynthesis of methionine from serine and homocysteine by (Salem, A. R. & Foster, M. A.) 845–853
Bacillus subtilis N.C.T.C. 3610, organization of enzymes and isoprenoid phosphates involved in cell-wall biosynthesis in the membrane of (Anderson, R. G., Hussey, H. & Baddiley, J.) 11–25
Bacillus thuringiensis, differential inhibition of the nucleolar and nucleoplasmic deoxyribonucleic acid-dependent ribonucleic acid polymerases in intact rat liver nuclei by the exotoxin from (Beebee, T., Korner, A. & Bond, R. P. M.) 619–624
Bacteriochlorophyll, magnesium protoporphyrin chelatase activity and the biosynthesis of, in *Rhodopseudomonas spheroides* N.C.I.B. 8253 (Gorchein, A.) 97–106
Bacteriophage P1, purification and properties of the deoxyribonucleic acid modification enzyme of (Brockes, J. P., Brown, P. R. & Murray, K.) 1–10

Bacteriophage ZJ-2, amino acid sequence of the B-protein component of the coat protein of (Snell, D. T. & Offord, R. E.) 167–178
Beet, spinach (*Beta vulgaris*), expression of catechol oxidase activity during the hydroxylation of *p*-coumarate by phenolase from (Vaughan, P. F. T. & Butt, V. S.) 641–647
Benzoate, possible transport mechanisms for mandelate and, in bacterium N.C.I.B. 8250 (Cook, A. M. & Fewson, C. A.) 78P–79P
Benzoate, utilization of benzyl alcohol plus benzoate and of mandelate plus, by bacterium N.C.I.B. 8250 growing in batch culture (Cook, A. M. & Fewson, C. A.) 77P–78P
Beta vulgaris, *see* Beet, spinach
Bile, excretion of 17α-hydroxy-5α-pregnane-11,20-dione 3α-β-D-glucuronide 21-[^{35}S]sulphate in, after administration of sodium cortisone 21-[^{35}S]sulphate to the rat (Gatehouse, P. W., Roy, A. B., Dodgson, K. S., Powell, G. M., Lloyd, A. G. & Olavesen, A. H.) 661–668
Bilirubin, identification of formaldehyde as a product of the reaction between, and aromatic diazo compounds (Hutchinson, D. W., Johnson, B. & Knell, A. J.) 907–908
Blood, rat, activity of phenylalanine hydroxylase in liver in relation to the concentrations of tyrosine and phenylalanine in (McGee, M. M., Greengard, O. & Knox, W. E.) 675–680
Blowfly (*Calliphora erythrocephala*), properties of the oxidation of pyruvate and 2-oxoglutarate by flight-muscle mitochondria from (Hansford, R. G.) 271–283
Bones, long, heterogeneity of collagen within different growth regions of, of rachitic and non-rachitic chicks (Toole, B. P., Kang, A. H., Trelstad, R. L. & Gross, J.) 715–720
Brain, demonstration by isoelectric focusing of the existence of multiple forms of choline acetyltransferase from, of various species (Malthe-Sørenssen, D. & Fonnum, F.) 229–236
Brain, rat, effect of hypoxia on the energy charge of the adenylate pool in (Ridge, J. W.) 351–355

Caffeine, diffusion coefficient of, through agar gels containing a hyaluronate–protein complex (McCabe, M.) 249–253
Calcitonin M, human, immunochemical studies on, leading to information on the shape of the molecule (Byfield, P. G. H., Clark, M. B., Turner, K., Foster, G. V. & MacIntyre, I.) 199–206
Calliphora erythrocephala, *see* Blowfly
Candida utilis N.C.Y.C. 321, biosynthesis of methionine from serine and homocysteine by (Salem, A. R. & Foster, M. A.) 845–853
Carbamoyl phosphate synthase, molecular weights of two forms of, from rat liver (Virden, R.) 503–508
Carbohydrate compositions and attachment sites of the three oligosaccharide units of rabbit immunoglobulin G (Fanger, M. W. & Smyth, D. G.) 757–765
Carbon monoxide, accumulation of lanosterol and 24,25-dihydrolanosterol during the inhibition by, of cholesterol biosynthesis by a rat liver preparation (Gibbons, G. F. & Mitropoulos, K. A.) 315–317
3-Carboxy-*cis*–*cis*-muconate cycloisomerase, kinetic properties of, from *Aspergillus niger* strain L6 (Thatcher, D. R. & Cain, R. B.) 33P–34P
3-Carboxy-*cis*–*cis*-muconate cycloisomerase, purification and properties of, from *Aspergillus niger* strain L6 (Thatcher, D. R. & Cain, R. B.) 32P–33P
Carnitine acetyltransferase, changes in the activity of, in brown adipose tissue of the rat during development (Hahn, P. & Skala, J.) 107–111
Carnitine acetyltransferase, role of, in regulating the relationships between carnitine and coenzyme A and their esters in tissues of normal and alloxan-diabetic sheep (Snoswell, A. M. & Koundakjian, P. P.) 133–141
Carnitine, metabolism of, in brown adipose tissue of the rat during development (Hahn, P. & Skala, J.) 107–111
Carnitine palmitoyltransferase, changes in the activity of, in brown adipose tissue of the rat during development (Hahn, P. & Skala, J.) 107–111
Carnitine, relationships between coenzyme A and, and their esters in tissues of normal and alloxan-diabetic sheep (Snoswell, A. M. & Koundakjian, P. P.) 133–141
Carotenoids, tentative rules for the nomenclature of (IUPAC Commission on the Nomenclature of Organic Chemistry & IUPAC–IUB Commission on Biochemical Nomenclature) 741–752
Cartilage, articular, human, inhibition by pepstatin of the autolytic degradation of (Dingle, J. T., Barrett, A. J., Poole, A. R. & Stovin, P.) 443–444
Catalase, relationship between 5-aminolaevulinate synthetase induction and the concentrations of cytochrome *P*-450 and, in rat liver after the administration of 2-allyl-2-isopropylacetamide (Satyanarayana Rao, M. R., Malathi, K. & Padmanaban, G.) 553–559
Catechol oxidase, expression of the activity of, during the hydroxylation of *p*-coumarate by spinach-beet phenolase (Vaughan, P. F. T. & Butt, V. S.) 641–647
Catecholamines, interaction of adrenal corticosteroids and, in the induction of phosphopyruvate carboxylase in rat liver and adipose tissue (Reshef, L. & Hanson, R. W.) 809–818
Cathepsin B1, spleen, ox, chromatographic evidence for the existence of multiple forms of (Franklin, S. G. & Metrione, R. M.) 207–213
Cathepsin, collagenolytic, nature of, of rat liver and its distribution in other rat tissues (Etherington, D. J.) 685–692
Cathepsin D, inhibition of, and other acid proteinases by pepstatin (Barrett, A. J. & Dingle, J. T.) 439–441
Cell wall, biosynthesis of the teichoic acid of, in the membrane of *Bacillus licheniformis* A.T.C.C. 9945 (Hancock, I. C. & Baddiley, J.) 27–37
Cell wall, effect of growth conditions on the chemical composition and endotoxicity of, of *Aerobacter aerogenes* N.C.T.C. 418 (Pearson, A. D. & Ellwood, D. C.) 72P–73P
Cell wall, effect of growth conditions on the mucopeptide composition of, of *Bacillus subtilis* W23 (Ellwood, D. C.) 73P
Cell wall, organization of enzymes and isoprenoid phosphates involved in the biosynthesis of, in the membrane of *Bacillus licheniformis* A.T.C.C. 9945 and *Bacillus subtilis* N.C.T.C. 3610 (Anderson, R. G., Hussey, H. & Baddiley, J.) 11–25

Cell wall, role of two derivatives of isoprenoid phosphates as intermediates in the biosynthesis of the teichoic acid of, in *Staphylococcus lactis* I3 (Hussey, H. & Baddiley, J.) 39–50
Cellulolytic systems, role of component C_1 in (Halliwell, G., Griffin, M. & Vincent, R.) 43P
Cellulose, *p*-aminobenzyl-, enzymic properties of a modified ox heart myosin adenosine triphosphatase on covalent binding to an insoluble matrix of (Liu-Osheroff, P. & Guillory, R. J.) 419–424
Chalcone, 2′,4,4′-trihydroxy-, peroxidase-catalysed oxidation of, *in vitro* and its possible physiological significance in higher plants (Rathmell, W. G. & Bendall, D. S.) 125–132
Chicken's egg, replacement of an asparagine residue by an aspartic acid residue in ovalbumin from, and a difference in the immunochemical reactivity of the two genetic variants (Wiseman, R. L., Fothergill, J. E. & Fothergill, L. A.) 775–780
Chicks, rachitic and non-rachitic, heterogeneity of collagen within different growth regions of long bones of (Toole, B. P., Kang, A. H., Trelstad, R. L. & Gross, J.) 715–720
Chitin, role of fructose 1,6-diphosphatase variants in the gill and hypodermis in the control of the biosynthesis of glycogen and, in the Arctic king-crab (Hochachka, P. W.) 781–793
Chlorate, toxicity of, in *Aspergillus nidulans* (Cove, D. J.) 19P
2-Chloro-1-(2,4,5-trichlorophenyl)vinyl dimethyl phosphate, detoxifying demethylation of, by phosphoric acid triester–glutathione alkyltransferase activity in the liver of various mammalian species (Hutson, D. H., Pickering, B. A. & Donninger, C.) 285–293
Cholesterol, accumulation of lanosterol and 24,25-dihydrolanosterol during the inhibition by carbon monoxide of the biosynthesis of, by a rat liver preparation (Gibbons, G. F. & Mitropoulos, K. A.) 315–317
Choline acetyltransferase, demonstration by isoelectric focusing of the existence of multiple forms of, from the brain of various species (Malthe-Sørenssen, D. & Fonnum, F.) 229–236
Cholinergic receptors, labelling of, in subcellular fractions of rat cerebral cortex (Hiley, C. R., Young, J. M. & Burgen, A. S. V.) 86P
Chondroitin sulphate, influence of glycoprotein on the formation of collagen fibrils *in vitro* in the presence of protein–polysaccharide containing (Lowther, D. A. & Natarajan, M.) 607–608
Chromaffin granules, adrenal-gland-medulla, ox, lipid composition of membranes of (Da Prada, M., Pletscher, A. & Tranzer, J. P.) 681–683
Chromatography, affinity, enzymological aspects of (Colloquium) 7P–14P
Claviceps purpurea, comparative metabolism of, *in vivo* and *in vitro* (Bassett, R. A., Chain, E. B., Corbett, K., Dickerson, A. G. F. & Mantle, P. G.) 3P–4P
Clearing-factor lipase, *see* Lipase, clearing-factor
Coat protein, amino acid sequence of the B-protein component of, of bacteriophage ZJ-2 (Snell, D. T. & Offord, R. E.) 167–178
Coenzyme A, relationships between carnitine and, and their esters in tissues of normal and alloxan-diabetic sheep (Snoswell, A. M. & Koundakjian, P. P.) 133–141
Colicins, mechanisms for the synthesis of (Hardy, K. G. & Meynell, G. G.) 69P
Collagen fibrils, influence of glycoprotein on the formation of, *in vitro* in the presence of protein–polysaccharide containing chondroitin sulphate (Lowther, D. A. & Natarajan, M.) 607–608
Collagen, heterogeneity of, within different growth regions of long bones of rachitic and non-rachitic chicks (Toole, B. P., Kang, A. H., Trelstad, R. L. & Gross, J.) 715–720
Collagen, inhibition by oestradiol of the breakdown of, in involuting rat uterus (Ryan, J. N. & Woessner, J. F., Jr.) 705–713
Collagen, isolation of glycoproteins from ox Achilles tendon and their interaction with (Anderson, J. C. & Jackson, D. S.) 179–186
Collagen, nature of the rat liver cathepsin degrading, and the distribution of the enzyme in other rat tissues (Etherington, D. J.) 685–692
Collagen, skin, calf, acid-soluble, effects of compounds of the urea–guanidinium chloride class on the renaturation and the thermal stability of (Russell, A. E. & Cooper, D. R.) 855–863
Coprinus lagopus strain H5, biosynthesis of methionine from serine and homocysteine by (Salem, A. R. & Foster, M. A.) 845–853
Cornea, ox, concentrations of sugar nucleotides in the epithelium, stroma and endothelium of (Handley, C. J. & Phelps, C. F.) 911–912
Corticosteroids, adrenal, interaction of catecholamines and, in the induction of phosphopyruvate carboxylase in rat liver and adipose tissue (Reshef, L. & Hanson, R. W.) 809–818
Cortisol, interaction of catecholamines and, in the induction of phosphopyruvate carboxylase in rat liver and adipose tissue (Reshef, L. & Hanson, R. W.) 809–818
Cortisol, stimulation by, of the activity of phenylalanine hydroxylase in rat liver during development (McGee, M. M., Greengard, O. & Knox, W. E.) 669–674
Cortisone 21-[^{35}S]sulphate, sodium, metabolism of, in the rat (Gatehouse, P. W., Roy, A. B., Dodgson, K. S., Powell, G. M., Lloyd, A. G. & Olavesen, A. H.) 661–668
Corynebacterium aquaticum, identification of two mannolipids among the lipids of (Khuller, G. K. & Brennan, P. J.) 369–373
p-Coumarate, expression of catechol oxidase activity during the hydroxylation of, by spinach-beet phenolase (Vaughan, P. F. T. & Butt, V. S.) 641–647
Creatine phosphate, effect of hypoxia on the concentrations of adenine nucleotides and, in rat brain (Ridge, J. W.) 351–355
γ-Crystallin, lens, calf, microheterogeneity at the *C*-terminus of fraction IVb of (Slingsby, C. & Croft, L. R.) 609–610
Cytochalasins, chemistry and some biological effects of (Turner, W. B. & Carter, S. B.) 1P
Cytochalasins, effects on thrombosthenin and on glucose metabolism during the inhibition of blood platelet function by (Haslam, R. J.) 34P
Cytochrome *c* reductases, use of zonal centrifugation to determine the subcellular distribution of, in aerobically grown glucose-repressed *Saccharomyces carlsbergensis* (Cartledge, T. G. & Lloyd, D.) 693–703

Cytochrome *P*-450, alternative explanation of the apparent phosphatidylcholine-dependence of the biotransformation system linked to, in liver (Cater, B. R., Walkden, V. & Hallinan, T.) 37P–38P
Cytochrome *P*-450, relationship between 5-aminolaevulinate synthetase induction and the concentrations of catalase and, in rat liver after the administration of 2-allyl-2-isopropylacetamide (Satyanarayana Rao, M. R., Malathi, K. & Padmanaban, G.) 553–559

Data, effects of errors in, on the determination of physiological parameters by means of compartmental analysis (Atkins, G. L.) 437–438
Dehydrogenases, nicotinamide–adenine dinucleotide-dependent, cofactor–substrate elution of, bound to adenosine 5′-monophosphate and oxidized nicotinamide–adenine dinucleotide immobilized by attachment to Sepharose 4B (Mosbach, K., Guilford, H., Ohlsson, R. & Scott, M.) 625–631
Dehydrogenases, nicotinamide–adenine dinucleotide-dependent, stereospecificity of, from plants (Davies, D. D., Teixeira, A. & Kenworthy, P.) 335–343
Deoxyribonucleic acid, effects of proteins and, on the activities of acid β-galactosidase and various other hydrolases from mammalian sources (Palmieri, M. J. & Koldovský, O.) 795–800
Deoxyribonucleic acid, measurement of the content of, in human granulocytes (Blackburn, M. J., Andrews, T. M. & Watts, R. W. E.) 40P
Deoxyribonucleic acid, methylation of, catalysed by the deoxyribonucleic acid modification enzyme of bacteriophage P1 (Brockes, J. P., Brown, P. R. & Murray, K.) 1–10
Deoxyribonucleic acid modification enzyme, purification and properties of, of bacteriophage P1 (Brockes, J. P., Brown, P. R. & Murray, K.) 1–10
Deoxyribonucleic acid, supercoiled, resolution of the structures of, by light-scattering (Campbell, A. M. & Jolly, D. J.) 39P–40P
Deoxyribonucleotides, determination of the contents of ribonucleotides and, of eggs and oocytes of *Xenopus laevis* (Woodland, H. R. & Pestell, R. Q. W.) 597–605
Deoxyribonucleotides, procedure for the isolation and determination of, in the presence of ribonucleotides (Pestell, R. Q. W. & Woodland, H. R.) 589–595
Deoxyribose, procedure for the isolation and determination of derivatives of, in biological material (Pestell, R. Q. W. & Woodland, H. R.) 589–595
Depsipeptides, cyclic, studies on the biosynthesis of, in *Serratia marcescens* N.T.C.C. 1377 (Bermingham, M. A. C., Deol, B. S. & Still, J. L.) 45P
Development, activity of phenylalanine hydroxylase in rat liver during (McGee, M. M., Greengard, O. & Knox, W. E.) 669–674
Development, activity of phenylalanine hydroxylase in rat liver in relation to blood concentrations of tyrosine and phenylalanine during (McGee, M. M., Greengard, O. & Knox, W. E.) 675–680
Development, comparison of the properties of two forms of pyruvate kinase in rat liver and determination of their separate activities during (Middleton, M. C. & Walker, D. G.) 721–731
Development, gluconeogenesis from lactate in the rat *in vivo* during (Vernon, R. G. & Walker, D. G.) 531–537
Development, glucose metabolism in the rat *in vivo* during (Vernon, R. G. & Walker, D. G.) 521–529
Development, metabolism of carnitine in brown adipose tissue of the rat during (Hahn, P. & Skala, J.) 107–111
Diabetes, alloxan-, effects of, on the relationships between carnitine and coenzyme A and their esters in tissues of the sheep (Snoswell, A. M. & Koundakjian, P. P.) 133–141
Diamine oxidase, kidney, pig, oxidation of *p*-dimethylaminomethylbenzylamine by, and its use in a new spectrophotometric method for assay of the enzyme activity (Bardsley, W. G., Crabbe, M. J. C., Shindler, J. S. & Ashford, J. S.) 875–879
Diaphragm, clearing-factor lipase activity in adipose tissues, heart and, of the genetically obese mouse (*ob*/*ob*) (de Gasquet, P. & Péquignot, E.) 445–447
Dictyostelium discoideum strain Ax-2, extracellular concentrations of adenosine 3′:5′-cyclic monophosphate during axenic growth of myxamoebae of (Malkinson, A. M. & Ashworth, J. M.) 611–612
Diet, protein–calorie-deficient, effects of, on phagocytosis by and enzyme activities of human leucocytes (Selvaraj, R. J. & Seetharam Bhat, K.) 255–259
Diglycerides, incorporation of fatty acids into, of ox spermatozoa (Neill, A. R. & Masters, C. J.) 375–385
Dihydrofolate reductases, single-step purification of, by affinity chromatography on pteridine matrices (Dann, J. G., Harding, N. G. L., Newbold, P. C. H. & Whiteley, J. M.) 28P–29P
24,25-Dihydrolanosterol, accumulation of lanosterol and, during the inhibition by carbon monoxide of cholesterol biosynthesis by a rat liver preparation (Gibbons, G. F. & Mitropoulos, K. A.) 315–317
Dihydrotestosterone, metabolism of testosterone and, in the androgen-dependent mouse Shionogi SC-115 tumour *in vivo* (Bruchovsky, N.) 561–575
2,6-Dihydroxyisonicotinate, identification of, as an intermediate in the degradation of *N*-methylisonicotinate by a rod-shaped bacterium (strain 4C1) isolated from soil (Orpin, C. G., Knight, M. & Evans, W. C.) 833–844
2,5-Dihydroxypyridine, identification of, as an intermediate in the degradation of picolinamide by a rod-shaped bacterium isolated from soil (Orpin, C. G., Knight, M. & Evans, W. C.) 819–831
Dimannosyl diglyceride, identification of monomannophosphoinositide and, among the lipids of *Corynebacterium aquaticum* (Khuller, G. K. & Brennan, P. J.) 369–373
Dimethyl phosphate triesters, detoxifying demethylation of, by phosphoric acid triester–glutathione alkyltransferase activity in the liver of various mammalian species (Hutson, D. H., Pickering, B. A. & Donninger, C.) 285–293
p-Dimethylaminomethylbenzylamine, oxidation of, by pig kidney diamine oxidase and its use in a new spectrophotometric method for assay of the enzyme activity (Bardsley, W. G., Crabbe, M. J. C., Shindler, J. S. & Ashford, J. S.) 875–879
Diquat (6,7-dihydrodipyrido[1,2-*a*:2′,1′-*c*]pyrazinediium ion), bacterial oxidation of picolinamide produced photolytically from, in the soil (Orpin, C. G., Knight, M. & Evans, W. C.) 819–831

Docosahexaenoate, presence of, as the principal fatty acid of the phospholipids of ox spermatozoa (Neill, A. R. & Masters, C. J.) 375–385
Dolichol, biosynthesis of, by marine invertebrates (Walton, M. J. & Pennock, J. F.) 471–479

Egg, hen's, replacement of an asparagine residue by an aspartic acid residue in ovalbumin from, and a difference in the immunochemical reactivity of the two genetic variants (Wiseman, R. L., Fothergill, J. E. & Fothergill, L. A.) 775–780
Eggs, determination of the nucleoside triphosphate contents of, and oocytes of *Xenopus laevis* (Woodland, H. R. & Pestell, R. Q. W.) 597–605
Elastins, chemical compositions of, isolated from aortas and pulmonary tissues of humans of different ages (John, R. & Thomas, J.) 261–269
Encephalitogenic protein, metabolism of, from rat brain (Wood, J. G. & King, N. L.) 48P
Enzymes, linear equation that describes the steady-state kinetics of the interaction of, with tightly bound inhibitors (Henderson, P. J. F.) 321–333
Erythrocytes, human, isolation and characterization of 17β-hydroxy steroid dehydrogenase from (Mulder, E., Lamers-Stahlhofen, G. J. M. & Van der Molen, H. J.) 649–659
Escherichia coli, incorporation of L-threonine into *N*-(purin-6-ylcarbamoyl)-L-threonine riboside of transfer ribonucleic acid of (Chheda, G. B., Hong, C. I., Piskorz, C. F. & Harmon, G. A.) 515–519
Escherichia coli, inhibition by semi-synthetic penicillins of the β-lactamases of various strains of *Klebsiella aerogenes* and (Cole, M., Elson, S. & Fullbrook, P. D.) 295–308
Estradiol, *see* Oestradiol
Estrogen, *see* Oestrogen
Ethanol, intracellular localization of aldehyde dehydrogenase in rat liver and the metabolism of (Marjanen, L.) 633–639
Ethanol, time-course of the effects of, on the redox and phosphorylation states of rat liver (Veech, R. L., Guynn, R. & Veloso, D.) 387–397
Exotoxin, differential inhibition of the nucleolar and nucleoplasmic deoxyribonucleic acid-dependent ribonucleic acid polymerases in intact rat liver nuclei by, from *Bacillus thuringiensis* (Beebee, T., Korner, A. & Bond, R. P. M.) 619–624

Farnesol, biosynthesis of, by marine invertebrates (Walton, M. J. & Pennock, J. F.) 471–479
Fatty acids, biosynthesis of, and phenols by stationary-phase cultures of *Aspergillus fumigatus* (Packter, N. M. & Ward, A. C.) 14P–15P
Fatty acids, evidence against the coenzyme A-depletion hypothesis for the mechanism of the inhibition by pent-4-enoic acid of the oxidation of (Holland, P. C. & Sherratt, H. S. A.) 79P
Fatty acids, metabolism of, by ox spermatozoa (Neill, A. R. & Masters, C. J.) 375–385
Fatty acids, non-esterified, turnover of glycerol and, in the blood of genetically obese mice (Dade, E. & Hems, D. A.) 41P
Fatty acids, 3-oxoacyl-coenzyme A thiolase as the possible site of the inhibition by pent-4-enoic acid of the oxidation of (Holland, P. C., Senior, A. E. & Sherratt, H. S. A.) 79P–80P
Fibrils, collagen, influence of glycoprotein on the formation of, *in vitro* in the presence of protein–polysaccharide containing chondroitin sulphate (Lowther, D. A. & Natarajan, M.) 607–608
Flavonoids, production of, during the peroxidase-catalysed oxidation of 2′,4,4′-trihydroxychalcone *in vitro* and its possible physiological significance in higher plants (Rathmell, W. G. & Bendall, D. S.) 125–132
Flight muscle, *see* Muscle, flight
Fluoroacetate, defluorination of, by lettuce (Ward, P. F. V. & Huskisson, N. S.) 89P–90P
Folates, requirement for, in the biosynthesis of methionine by various micro-organisms (Salem, A. R. & Foster, M. A.) 845–853
Folates, uptake and metabolism of, by *Streptococcus faecalis* N.C.I.B. 6459 and A.T.C.C. 8043 (McElwee, P. G. & Scott, J. M.) 901–905
Formaldehyde, identification of, as a product of the reaction between bilirubin and aromatic diazo compounds (Hutchinson, D. W., Johnson, B. & Knell, A. J.) 907–908
Formamide, effects of urea, guanidinium salts and, on the renaturation and the thermal stability of acid-soluble calf skin collagen (Russell, A. E. & Cooper, D. R.) 855–863
Frog (*Rana pipiens*), initiation of the biosynthesis of ribosomal ribonucleic acid precursor in different regions of the gastrula of (Miller, L.) 733–735
Fructose 1,6-diphosphatase, functional significance of variants of, in the gill and hypodermis of the Arctic king-crab (Hochachka, P. W.) 781–793
Fumarate hydratase, kinetics of the reaction catalysed by, in rat liver mitochondria *in vivo* (Heath, D. F. & Phillips, J. C.) 453–470
Fungi, biochemistry of (Colloquium) 1P–6P
Fungi, sex hormones of (Gooday, G. W.) 2P–3P

α-Galactosidase, effects of deoxyribonucleic acid on the activities of, and various other hydrolases from mammalian sources (Palmieri, M. J. & Koldovský, O.) 795–800
β-Galactosidase, acid, effects of proteins and polynucleotides on the activities of, and various other hydrolases from mammalian sources (Palmieri, M. J. & Koldovský, O.) 795–800
β-Galactosides, proton movements coupled to the transport of, into *Escherichia coli* (West, I. C. & Mitchell, P.) 56P
Gastric mucosa, pig, incorporation of [U-^{14}C]glucose, [G-^{3}H]threonine and [G-^{3}H]serine into mucoproteins by scrapings of, *in vitro* (Snary, D. & Allen, A.) 577–587
Gastrula, frog (*Rana pipiens*), initiation of the biosynthesis of ribosomal ribonucleic acid precursor in different regions of (Miller, L.) 733–735
Geranylgeraniol, biosynthesis of, by marine invertebrates (Walton, M. J. & Pennock, J. F.) 471–479

Gill, functional significance of variants of fructose 1,6-diphosphatase in the hypodermis and, of the Arctic king-crab (Hochachka, P. W.) 781–793
Glucocorticoids, relative changes in the functions of rat skeletal-muscle ribosomes and mitochondria during the early phase of catabolism induced by (Bullock, G. R., Carter, E. E., Elliott, P., Peters, R. F., Simpson, P. & White, A. M.) 881–892
Gluconeogenesis, effect of propionate on, from pyruvate and lactate in perfused rat liver (Chan, T. M. & Freedland, R. A.) 539–543
Gluconeogenesis from lactate in the developing rat *in vivo* (Vernon, R. G. & Walker, D. G.) 531–537
Gluconeogenesis, possible roles of two forms of pyruvate kinase in rat liver in the control of glycolysis and, during development (Middleton, M. C. & Walker, D. G.) 721–731
Gluconeogenesis, subcellular distribution of L-alanine–glyoxylate aminotransferase in rat liver in relation to a pathway of, involving glyoxylate (Rowsell, E. V., Snell, K., Carnie, J. A. & Rowsell, K. V.) 155–165
Glucose and the survival and recovery of the anoxic myocardium (Hearse, D. J. & Chain, E. B.) 20P
Glucose, conditions required to maintain linear rates of the absorption and transport of, by rat small intestine (Porteous, J. W. & Pritchard, P.) 61P
Glucose, effect of *n*-alkanes on the transport of, in *Candida* sp. strain 107 (Gill, C. O. & Ratledge, C.) 59P–60P
Glucose, effect of propionate on the formation of, from pyruvate and lactate in perfused rat liver (Chan, T. M. & Freedland, R. A.) 539–543
Glucose, effects of, on the activity of acid phosphatase from *Klebsiella aerogenes* N.C.I.B. 418 (Bolton, P. G. & Dean, A. C. R.) 87–96
Glucose, formation of, from glucose 6-phosphate by rat cerebral-cortex slices (Dodd, P. R., Bradford, H. F. & Chain, E. B.) 20P–21P
Glucose, formation of, from lactate in the developing rat *in vivo* (Vernon, R. G. & Walker, D. G.) 531–537
Glucose, four-compartment model of the transport and metabolism of, in rat intestine *in vitro* (Porteous, J. W. & Pritchard, P.) 80P
[U-^{14}C]Glucose, incorporation of, into mucoproteins by pig gastric mucosal scrapings *in vitro* (Snary, D. & Allen, A.) 577–587
Glucose, metabolism of, in the developing rat *in vivo* (Vernon, R. G. & Walker, D. G.) 521–529
Glucose 6-phosphate dehydrogenase, effects of protein–calorie malnutrition on the activities of, and other enzymes in human leucocytes (Selvaraj, R. J. & Seetharam Bhat, K.) 255–259
Glucose, properties of *Escherichia coli* mutants with alterations in the uptake of (Kornberg, H. L. & Reeves, R. E.) 58P–59P
Glucose, quantitative fate of, during its absorption, accumulation, metabolism and transport by rat small intestine (Porteous, J. W. & Pritchard, P.) 61P–62P
Glucose, subcellular distribution of L-alanine–glyoxylate aminotransferase in rat liver in relation to a pathway for the biosynthesis of, involving glyoxylate (Rowsell, E. V., Snell, K., Carnie, J. A. & Rowsell, K. V.) 155–165
β-Glucuronidase, effects of deoxyribonucleic acid on the activities of, and various other hydrolases from mammalian sources (Palmieri, M. J. & Koldovský, O.) 795–800
β-Glucuronidase, intracellular transport of, in mouse kidney induced by gonadotrophin (Kato, K., Hirohata, I., Fishman, W. H. & Tsukamoto, H.) 425–435
β-D-Glucuronide, identification of, excreted in the bile after the administration of sodium cortisone 21-[^{35}S]-sulphate to the rat (Gatehouse, P. W., Roy, A. B., Dodgson, K. S., Powell, G. M., Lloyd, A. G. & Olavesen, A. H.) 661–668
Glucuronides, urinary excretion of metabolites of hydroanthracenones as, in the rabbit (Robertson, J. S. & Dunstan, P. J.) 119–123
Glutamate dehydrogenase, nicotinamide–adenine dinucleotide phosphate-dependent, studies on, from *Neurospora crassa* (Gore, M. G., Greenwood, C. & Holbrook, J. J.) 30P–31P
Glutamate dehydrogenase, nicotinamide–adenine dinucleotide phosphate-dependent, subunit structure of, from *Neurospora crassa* (Wootton, J. C., Taylor, J. G. & Fincham, J. R. S.) 31P–32P
Glutamate, specific labelling of, from [2-^{14}C]pyruvate in rat liver mitochondria *in vivo* (Heath, D. F. & Phillips, J. C.) 453–470
Glutamine aminotransferase, liver, rat, natural inhibitor of (Buttery, P. J. & Rowsell, E. V.) 81P
Glyceraldehyde 3-phosphate dehydrogenase, cofactor–substrate elution of, bound to adenosine 5′-monophosphate and oxidized nicotinamide–adenine dinucleotide immobilized by attachment to Sepharose 4B (Mosbach, K., Guilford, H., Ohlsson, R. & Scott, M.) 625–631
Glyceride lipases, activities of, in brain and their stimulation by noradrenaline and 5-hydroxytryptamine (Vyvoda, O. S. & Rowe, C. E.) 86P–87P
Glycerol, control of the utilization of, by glucose metabolism in *Escherichia coli* strain ML308 (Edgar, W., Forrest, I. S., Holms, W. H. & Jasani, B.) 59P
Glycerol, induction of *petite* mutants of yeast by starvation in (Wallis, O. C., Ottolenghi, P. & Whittaker, P. A.) 46P–47P
Glycerylphosphorylcholine phosphodiesterase, subcellular distribution and localization of, in rat liver plasma membranes (Lloyd-Davies, K. A., Michell, R. H. & Coleman, R.) 357–368
Glycerylphosphorylcholine phosphodiesterase, subcellular localization of, in rat liver plasma membrane (Lloyd-Davies, K. A., Michell, R. H. & Coleman, R.) 36P
Glycogen, incorporation of glucose into, in liver and skeletal muscle of the developing rat *in vivo* (Vernon, R. G. & Walker, D. G.) 521–529
Glycogen, incorporation of lactate into, in liver and skeletal muscle of the developing rat *in vivo* (Vernon, R. G. & Walker, D. G.) 531–537
Glycogen, role of fructose 1,6-diphosphatase variants in the gill and hypodermis in the control of the biosynthesis of chitin and, in the Arctic king-crab (Hochachka, P. W.) 781–793
Glycogen synthetase, activities of hexokinase and, in the perfused Langendorff and working heart of normal and streptozotocin-diabetic rats (Das, I.) 22P–23P

Glycolipid, phosphatidyl, identification of, attached to teichoic acid in the cytoplasmic membrane of *Streptococcus faecalis* N.C.I.B. 8191 (Toon, P., Brown, P. E. & Baddiley, J.) 399–409
Glycolysis, effect of deoxyglucose on, in guinea-pig cerebral-cortex preparations (Bachelard, H. S.) 83P
Glycolysis, possible roles of two forms of pyruvate kinase in rat liver in the control of gluconeogenesis and, during development (Middleton, M. C. & Walker, D. G.) 721–731
Glycoprotein, influence of, on the formation of collagen fibrils *in vitro* in the presence of protein–polysaccharide containing chondroitin sulphate (Lowther, D. A. & Natarajan, M.) 607–608
Glycoproteins, chemical compositions of, isolated from aortas and pulmonary tissues of humans of different ages (John, R. & Thomas, J.) 261–269
Glycoproteins, isolation of, from ox Achilles tendon and their interaction with collagen (Anderson, J. C. & Jackson, D. S.) 179–186
Glycosaminoglycans, acid, new micro method for the determination of, in urine (Whiteman, P. D.) 87P–88P
Glyoxylate, subcellular distribution of L-alanine–glyoxylate aminotransferase in rat liver in relation to a pathway for the biosynthesis of glucose involving (Rowsell, E. V., Snell, K., Carnie, J. A. & Rowsell, K. V.) 155–165
Gonadotrophin, intracellular transport of mouse kidney β-glucuronidase induced by (Kato, K., Hirohata, I., Fishman, W. H. & Tsukamoto, H.) 425–435
Growth hormone, effects of prostaglandins on the adenosine 3′:5′-cyclic monophosphate content in and the release of, by ox anterior pituitary gland *in vitro* (Cooper, R. H., McPherson, M. & Schofield, J. G.) 143–154
Guanidinium salts, effects of formamide, urea and, on the renaturation and the thermal stability of acid-soluble calf skin collagen (Russell, A. E. & Cooper, D. R.) 855–863

Haemoglobins, molecular properties of, from lupin and serradella root nodules (Broughton, W. J., Dilworth, M. J. & Godfrey, C. A.) 309–314
Haemoproteins, microsomal, liver, interaction of safrole and isosafrole with (Lake, B. G. & Parke, D. V.) 23P
Halobacterium cutirubrum N.R.C. 34001, purification and properties of deoxyribonucleic acid-dependent ribonucleic acid polymerase from (Louis, B. G. & Fitt, P. S.) 69–80
Halobacterium cutirubrum N.R.C. 34001, roles of the subunits of deoxyribonucleic acid-dependent ribonucleic acid polymerase from, in initiation and polymerization (Louis, B. G. & Fitt, P. S.) 81–86
Heart, clearing-factor lipase activity in adipose tissues, diaphragm and, of the genetically obese mouse (*ob*/*ob*) (de Gasquet, P. & Péquignot, E.) 445–447
Heart muscle, dog, aggregation phenomena occurring during depolymerization in solutions of actin obtained from (Gillibrand, I. M.) 737–739
Heart, ox, enzymic properties of the modified myosin adenosine triphosphatase from, on covalent binding to an insoluble *p*-aminobenzylcellulose matrix (Liu-Osheroff, P. & Guillory, R. J.) 419–424
Heavy chain, immunoglobulin G, rabbit, asymmetric attachment of the C2-oligosaccharide unit to (Fanger, M. W. & Smyth, D. G.) 767–774
Hen, *see* Chicken
Hexose phosphate synthetase, activity of, from *Methylococcus capsulatus* (Kemp, M. B.) 64P–65P
Homocysteine, biosynthesis of methionine from, by various micro-organisms (Salem, A. R. & Foster, M. A.) 845–853
sym-Homospermidine, biosynthesis of, in sandal leaves (Kuttan, R. & Radhakrishnan, A. N.) 61–67
Hyaluronate–protein complex, diffusion coefficient of caffeine through agar gels containing (McCabe, M.) 249–253
Hydroanthracenones, metabolism of, in the rabbit (Robertson, J. S. & Dunstan, P. J.) 119–123
Hydrocortisone, *see* Cortisol
3-Hydroxy acid dehydrogenases, subcellular distribution and properties of, in various sheep tissues (Koundakjian, P. P. & Snoswell, A. M.) 449–452
17β-Hydroxy steroid dehydrogenase, isolation and characterization of, from human erythrocytes (Mulder, E., Lamers-Stahlhofen, G. J. M. & Van der Molen, H. J.) 649–659
3-Hydroxybutyrate, subcellular distribution and properties of 3-hydroxy acid dehydrogenases in various sheep tissues in relation to the metabolism of (Koundakjian, P. P. & Snoswell, A. M.) 449–452
DL-α-Hydroxyethylbenzene, dehydrogenation of, in the rat (Hopkins, R. P., Borge, P. A. & Callaghan, P.) 26P–27P
2-Hydroxyisonicotinate, identification of, as an intermediate in the degradation of *N*-methylisonicotinate by a rod-shaped bacterium (strain 4C1) isolated from soil (Orpin, C. G., Knight, M. & Evans, W. C.) 833–844
2-Hydroxy-*N*-methylisonicotinate, identification of, as an intermediate in the degradation of *N*-methylisonicotinate by a rod-shaped bacterium (strain 4C1) isolated from soil (Orpin, C. G., Knight, M. & Evans, W. C.) 833–844
6-Hydroxypicolinate, identification of, as an intermediate in the degradation of picolinamide by a rod-shaped bacterium isolated from soil (Orpin, C. G., Knight, M. & Evans, W. C.) 819–831
17α-Hydroxy-5α-pregnane-11,20-dione 3α-β-D-glucuronide 21-[^{35}S]sulphate, excretion of, in the bile after administration of sodium cortisone 21-[^{35}S]sulphate to the rat (Gatehouse, P. W., Roy, A. B., Dodgson, K. S., Powell, G. M., Lloyd, A. G. & Olavesen, A. H.) 661–668
5-Hydroxytryptamine-storage organelles, platelet, rabbit, lipid composition of membranes of (Da Prada, M., Pletscher, A. & Tranzer, J. P.) 681–683
Hypobaric stress, effect of, on the activities of enzymes involved in tryptophan metabolism in rat liver (Inamdar, A. R., Ramakrishna Kurup, C. K. & Ramasarma, T.) 509–514
Hypodermis, functional significance of variants of fructose 1,6-diphosphatase in the gill and, of the Arctic king-crab (Hochachka, P. W.) 781–793
Hypophysectomy, decreased capacity of rat liver 40S ribosomal subunits for the binding of aminoacyl-transfer-ribonucleic acid resulting from (Barden, N. & Korner, A.) 411–417

Hypoxia, effect of, on the energy charge of the adenylate pool in rat brain (Ridge, J. W.) 351–355

Immunochemical reactivity, difference in, between two genetic variants of hen's-egg ovalbumin, one containing an aspartic acid residue in place of an asparagine residue in the other (Wiseman, R. L., Fothergill, J. E. & Fothergill, L. A.) 775–780
Immunochemical studies on human calcitonin M leading to information on the shape of the molecule (Byfield, P. G. H., Clark, M. B., Turner, K., Foster, G. V. & MacIntyre, I.) 199–206
Immunoglobulin G, rabbit, asymmetric attachment of the C2-oligosaccharide unit of (Fanger, M. W. & Smyth, D. G.) 767–774
Immunoglobulin G, rabbit, carbohydrate compositions and attachment sites of the three oligosaccharide units of (Fanger, M. W. & Smyth, D. G.) 757–765
Immunoglobulin M, human, mercaptan-induced fragmentation of a subunit-like fragment obtained from, by limited hydrolysis with papain (Butchko, G. M. & Inman, F. P.) 801–807
Inhibitors, tightly bound, linear equation that describes the steady-state kinetics of the interaction of enzymes and subcellular particles with (Henderson, P. J. F.) 321–333
Inhibitory factor (troponin B), separation and biological activity of the components of preparations of, obtained from rabbit skeletal-muscle myofibrils (Wilkinson, J. M., Perry, S. V., Cole, H. A. & Trayer, I. P.) 215–228
D-*myo*Inositol 1:2-cyclic phosphate phosphodiesterase, activity of, in various mammalian tissues (Dawson, R. M. C. & Clarke, N.) 113–118
Ionic strength, effect of, on the oxidation of *p*-dimethylaminomethylbenzylamine by pig kidney diamine oxidase (Bardsley, W. G., Crabbe, M. J. C., Shindler, J. S. & Ashford, J. S.) 875–879
Ions, transport of, and electrogenesis in bacteria (Harold, F. M.) 49P–50P
Isocitrate dehydrogenase, nicotinamide–adenine dinucleotide-linked, properties of, of blowfly flight-muscle mitochondria (Hansford, R. G.) 271–283
Isoliquiritigenin (2′,4,4′-trihydroxychalcone), peroxidase-catalysed oxidation of, *in vitro* and its possible physiological significance in higher plants (Rathmell, W. G. & Bendall, D. S.) 125–132
Isoprenoid alcohols, biosynthesis of, by marine invertebrates (Walton, M. J. & Pennock, J. F.) 471–479
Isoprenoid phosphates, involvement of, as intermediates in the biosynthesis of the cell-wall teichoic acid in the membrane of *Bacillus licheniformis* A.T.C.C. 9945 (Hancock, I. C. & Baddiley, J.) 27–37
Isoprenoid phosphates, organization of enzymes and, involved in cell-wall biosynthesis in the membrane of *Bacillus licheniformis* A.T.C.C. 9945 and *Bacillus subtilis* N.C.T.C. 3610 (Anderson, R. G., Hussey, H. & Baddiley, J.) 11–25
Isoprenoid phosphates, role of two derivatives of, as intermediates in the biosynthesis of the cell-wall teichoic acid in *Staphylococcus lactis* I3 (Hussey, H. & Baddiley, J.) 39–50

Ketone bodies, subcellular distribution and properties of 3-hydroxy acid dehydrogenases in various sheep tissues in relation to the metabolism of (Koundakjian, P. P. & Snoswell, A. M.) 449–452
Kidney, mouse, intracellular transport of β-glucuronidase in, induced by gonadotrophin (Kato, K., Hirohata, I., Fishman, W. H. & Tsukamoto, H.) 425–435
Kidney, pig, oxidation of *p*-dimethylaminomethylbenzylamine by diamine oxidase from (Bardsley, W. G., Crabbe, M. J. C., Shindler, J. S. & Ashford, J. S.) 875–879
Kidney, rabbit, activity of aromatic aldehyde/ketone reductase from, towards hydroanthracenones (Robertson, J. S. & Dunstan, P. J.) 119–123
Kidney, rat, activity of D-*myo*inositol 1:2-cyclic phosphate phosphodiesterase in (Dawson, R. M. C. & Clarke, N.) 113–118
King-crab, Arctic, *see* Arctic king-crab
Klebsiella aerogenes, inhibition by semi-synthetic penicillins of the β-lactamases of various strains of *Escherichia coli* and (Cole, M., Elson, S. & Fullbrook, P. D.) 295–308
Klebsiella aerogenes N.C.I.B. 418, biosynthesis of phosphatases in, growing in continuous culture (Bolton, P. G. & Dean, A. C. R.) 87–96

α-Lactalbumin, milk, ox, determination of the partial amino acid sequence of, by using mass spectrometry (Bacon, J. R. & Graham, G. N.) 76P–77P
β-Lactamases, inhibition by semi-synthetic penicillins of, of various strains of *Escherichia coli* and *Klebsiella aerogenes* (Cole, M., Elson, S. & Fullbrook, P. D.) 295–308
Lactate dehydrogenase, cofactor–substrate elution of, bound to adenosine 5′-monophosphate and oxidized nicotinamide–adenine dinucleotide immobilized by attachment to Sepharose 4B (Mosbach, K., Guilford, H., Ohlsson, R. & Scott, M.) 625–631
Lactate, effect of propionate on the metabolism of pyruvate and, in perfused rat liver (Chan, T. M. & Freedland, R. A.) 539–543
Lactate, gluconeogenesis from, in the developing rat *in vivo* (Vernon, R. G. & Walker, D. G.) 531–537
Lactation, function of arginase in rat mammary gland during (Yip, M. C. M. & Knox, W. E.) 893–899
Lactobacillus casei N.C.I.B. 10463 and A.T.C.C. 7469, uptake and metabolism of folates by *Streptococcus faecalis* N.C.I.B. 6459 and A.T.C.C. 8043 and by (McElwee, P. G. & Scott, J. M.) 901–905
Lactobacillus plantarum, biosynthesis of C_{55} polyprenols by a cell-free preparation from (Durr, I. F. & Habbal, M. Z.) 345–349
Lactose, inhibition of the utilization of, and other carbon sources by 3-deoxy-3-fluoro-D-glucose in *Escherichia coli* (Miles, R. J. & Pirt, S. J.) 60P–61P
Lactose synthetase, affinity-chromatography studies of the A protein component of (Trayer, I. P. & Olsen, K. W.) 9P–10P
Lanosterol, accumulation of 24,25-dihydrolanosterol and, during the inhibition by carbon monoxide of cholesterol biosynthesis by a rat liver preparation (Gibbons, G. F. & Mitropoulos, K. A.) 315–317

Leaves, sandal, biosynthesis of *sym*-homospermidine in (Kuttan, R. & Radhakrishnan, A. N.) 61–67
Leaves, spinach, purification, properties and substrate specificity of adenosine triphosphate sulphurylase from (Shaw, W. H. & Anderson, J. W.) 237–247
Leghaemoglobins, molecular properties of, from lupin and serradella root nodules (Broughton, W. J., Dilworth, M. J. & Godfrey, C. A.) 309–314
Lens, calf, microheterogeneity at the *C*-terminus of fraction IVb of γ-crystallin from (Slingsby, C. & Croft, L. R.) 609–610
Leucocytes, human, effects of protein–calorie malnutrition on phagocytosis by and enzyme activities of (Selvaraj, R. J. & Seetharam Bhat, K.) 255–259
Linoleate, oxidation of, by soya-bean lipoxygenase bound to agarose (Grossman, S., Trop, M., Budowski, P., Perl, M. & Pinsky, A.) 909–910
Lipase, clearing-factor, activity of, in adipose tissues, heart and diaphragm of the genetically obese mouse (*ob*/*ob*) (de Gasquet, P. & Péquignot, E.) 445–447
Lipid, structure of the complex of teichoic acid and, in the cytoplasmic membrane of *Streptococcus faecalis* N.C.I.B. 8191 (Toon, P., Brown, P. E. & Baddiley, J.) 399–409
Lipids, composition of, of membranes of rabbit platelet 5-hydroxytryptamine-storage organelles and of ox adrenal-gland-medulla chromaffin granules (Da Prada, M., Pletscher, A. & Tranzer, J. P.) 681–683
Lipids, identification of two mannolipids among, of *Corynebacterium aquaticum* (Khuller, G. K. & Brennan, P. J.) 369–373
Lipids, incorporation of fatty acids into, of ox spermatozoa (Neill, A. R. & Masters, C. J.) 375–385
Lipoprotein lipase, *see* Lipase, clearing-factor
Lipoxygenase, soya-bean, properties of, bound to agarose (Grossman, S., Trop, M., Budowski, P., Perl, M. & Pinsky, A.) 909–910
Liver, detoxifying demethylation of dimethyl phosphate triesters by phosphoric acid triester–glutathione alkyltransferase activity in, of various mammalian species (Hutson, D. H., Pickering, B. A. & Donninger, C.) 285–293
Liver, incorporation of glucose into glycogen in, of the developing rat *in vivo* (Vernon, R. G. & Walker, D. G.) 521–529
Liver, incorporation of lactate into glycogen in, of the developing rat *in vivo* (Vernon, R. G. & Walker, D. G.) 531–537
Liver, rat, accumulation of lanosterol and 24,25-dihydrolanosterol during the inhibition by carbon monoxide of cholesterol biosynthesis by a preparation from (Gibbons, G. F. & Mitropoulos, K. A.) 315–317
Liver, rat, activity of phenylalanine hydroxylase in, during development (McGee, M. M., Greengard, O. & Knox, W. E.) 669–674
Liver, rat, activity of phenylalanine hydroxylase in, in relation to blood concentrations of tyrosine and phenylalanine (McGee, M. M., Greengard, O. & Knox, W. E.) 675–680
Liver, rat, comparison of the properties of two forms of pyruvate kinase in, and determination of their separate activities during development (Middleton, M. C. & Walker, D. G.) 721–731
Liver, rat, decreased capacity of 40S ribosomal subunits from, for the binding of aminoacyl-transfer-ribonucleic acid resulting from hypophysectomy (Barden, N. & Korner, A.) 411–417
Liver, rat, differential inhibition of the nucleolar and nucleoplasmic deoxyribonucleic acid-dependent ribonucleic acid polymerases in intact nuclei from, by the exotoxin from *Bacillus thuringiensis* (Beebee, T., Korner, A. & Bond, R. P. M.) 619–624
Liver, rat, disequilibrium in the malate dehydrogenase reaction in mitochondria of, *in vivo* (Heath, D. F. & Phillips, J. C.) 453–470
Liver, rat, effect of hypobaric stress on the activities of enzymes involved in tryptophan metabolism in (Inamdar, A. R., Ramakrishna Kurup, C. K. & Ramasarma, T.) 509–514
Liver, rat, effects of anions on the inhibition by triethyltin of various functions of mitochondria from, *in vitro* (Rose, M. S. & Aldridge, W. N.) 51–59
Liver, rat, incorporation of L-threonine into *N*-(purin-6-ylcarbamoyl)-L-threonine riboside of transfer ribonucleic acid of (Chheda, G. B., Hong, C. I., Piskorz, C. F. & Harmon, G. A.) 515–519
Liver, rat, interaction of catecholamines and adrenal corticosteroids in the induction of phosphopyruvate carboxylase in, and adipose tissue (Reshef, L. & Hanson, R. W.) 809–818
Liver, rat, intracellular distribution of serum albumin and its possible precursors in (Geller, D. M., Judah, J. D. & Nicholls, M. R.) 865–874
Liver, rat, intracellular localization of aldehyde dehydrogenase in (Marjanen, L.) 633–639
Liver, rat, molecular weights of two forms of carbamoyl phosphate synthase from (Virden, R.) 503–508
Liver, rat, nature of the collagenolytic cathepsin of, and its distribution in other rat tissues (Etherington, D. J.) 685–692
Liver, rat, perfused, effect of propionate on the metabolism of pyruvate and lactate in (Chan, T. M. & Freedland, R. A.) 539–543
Liver, rat, relationship between 5-aminolaevulinate synthetase induction and the concentrations of cytochrome *P*-450 and catalase in, after the administration of 2-allyl-2-isopropylacetamide (Satyanarayana Rao, M. R., Malathi, K. & Padmanaban, G.) 553–559
Liver, rat, steady-state kinetics of the interaction of mitochondria from, with inhibitors of oxidative phosphorylation (Henderson, P. J. F.) 321–333
Liver, rat, subcellular distribution and localization of glycerylphosphorylcholine phosphodiesterase in plasma membranes of (Lloyd-Davies, K. A., Michell, R. H. & Coleman, R.) 357–368
Liver, rat, subcellular distribution of L-alanine–glyoxylate aminotransferase in, in relation to a pathway for glucose biosynthesis involving glyoxylate (Rowsell, E. V., Snell, K., Carnie, J. A. & Rowsell, K. V.) 155–165
Liver, rat, time-course of the effects of ethanol on the redox and phosphorylation states of (Veech, R. L., Guynn, R. & Veloso, D.) 387–397
Lung, chemical compositions of elastins isolated from visceral pleura and parenchyma of, of humans of different ages (John, R. & Thomas, J.) 261–269

Lupin (*Lupinus luteus*), molecular properties of leghaemoglobins from the root nodules of (Broughton, W. J., Dilworth, M. J. & Godfrey, C. A.) 309–314
Lupinus luteus, *see* Lupin
Lysosomes, intracellular transport of β-glucuronidase from the microsomal fraction to, in mouse kidney induced by gonadotrophin (Kato, K., Hirohata, I., Fishman, W. H. & Tsukamoto, H.) 425–435
Lysosomes, liver, rat, nature of the collagenolytic cathepsin of, and its distribution in other rat tissues (Etherington, D. J.) 685–692
Lysosomes, role of, in collagen breakdown in involuting rat uterus (Ryan, J. N. & Woessner, J. F., Jr.) 705–713

Macroglobulin, *see* Immunoglobulin M
α_2-Macroglobulin, human, effect of reduction with thiols on the subunit structure of (Jones, J. M., Creeth, J. M. & Kekwick, R. A.) 187–197
Magnesium protoporphyrin chelatase, activity of, in *Rhodopseudomonas spheroides* N.C.I.B. 8253 (Gorchein, A.) 97–106
Malate dehydrogenase, disequilibrium in the reaction catalysed by, in rat liver mitochondria *in vivo* (Heath, D. F. & Phillips, J. C.) 453–470
Malate dehydrogenases, stereospecificity of, from plants and animals (Davies, D. D., Teixeira, A. & Kenworthy, P.) 335–343
Malate, exogenous, malate permeation as the pacemaker for the metabolism of, in *Escherichia coli* strain ML308 (Hamilton, I. D. & Holms, W. H.) 62P–63P
Malate, oxidation of, by the particulate respiratory system of *Moraxella lwoffi* (Jones, M. & King, H. K.) 89P
Malate, pathways of the oxidation of, in isolated plant mitochondria (Palmer, J. M. & Coleman, J. O. D.) 42P–43P
Maleamate, identification of, as an intermediate in the degradation of *N*-methylisonicotinate by a rod-shaped bacterium (strain 4C1) isolated from soil (Orpin, C. G., Knight, M. & Evans, W. C.) 833–844
Maleamate, identification of, as an intermediate in the degradation of picolinamide by a rod-shaped bacterium isolated from soil (Orpin, C. G., Knight, M. & Evans, W. C.) 819–831
Maltase, effects of deoxyribonucleic acid on the activities of, and various other hydrolases from mammalian sources (Palmieri, M. J. & Koldovský, O.) 795–800
Mammary gland, rat, lactating, function of arginase in (Yip, M. C. M. & Knox, W. E.) 893–899
Mannolipids, two, identification of, among the lipids of *Corynebacterium aquaticum* (Khuller, G. K. & Brennan, P. J.) 369–373
Membrane, biosynthesis of the cell-wall teichoic acid in, of *Bacillus licheniformis* A.T.C.C. 9945 (Hancock, I. C. & Baddiley, J.) 27–37
Membrane, cytoplasmic, structure of the lipid–teichoic acid complex in, of *Streptococcus faecalis* N.C.I.B. 8191 (Toon, P., Brown, P. E. & Baddiley, J.) 399–409
Membrane, erythrocyte, rigorous test for the simple carrier model for carrier-mediated transport of non-electrolytes across (Hoare, D. G.) 62P
Membrane, organization of enzymes and isoprenoid phosphates involved in cell-wall biosynthesis in, of *Bacillus licheniformis* A.T.C.C. 9945 and *Bacillus subtilis* N.C.T.C. 3610 (Anderson, R. G., Hussey, H. & Baddiley, J.) 11–25
Membranes, ion-specific increases in the permeability of, with a group of membrane-active antibacterial agents (Hamilton, W. A. & Jeacocke, R. E.) 56P–57P
Membranes, lipid composition of, of rabbit platelet 5-hydroxytryptamine-storage organelles and of ox adrenal-gland-medulla chromaffin granules (Da Prada, M., Pletscher, A. & Tranzer, J. P.) 681–683
Membranes, plasma, *see* Plasma membranes
2-Mercaptoethanol, effect of reduction with, on the subunit structure of human α_2-macroglobulin (Jones, J. M., Creeth, J. M. & Kekwick, R. A.) 187–197
2-Mercaptoethanol, induction by, of the fragmentation of a subunit-like fragment obtained from human immunoglobulin M by limited hydrolysis with papain (Butchko, G. M. & Inman, F. P.) 801–807
2-Mercaptoethylamine, effect of reduction with, on the subunit structure of human α_2-macroglobulin (Jones, J. M., Creeth, J. M. & Kekwick, R. A.) 187–197
Mercaptoethylamine, induction by, of the fragmentation of a subunit-like fragment obtained from human immunoglobulin M by limited hydrolysis with papain (Butchko, G. M. & Inman, F. P.) 801–807
Mercapturic acids, synthesis of, from allyl compounds in the rat (Kaye, C. M. & Young, L.) 87P
Methionine, biosynthesis of, by various micro-organisms (Salem, A. R. & Foster, M. A.) 845–853
Methionine, requirement for, for the chelation of magnesium by protoporphyrin in *Rhodopseudomonas spheroides* N.C.I.B. 8253 (Gorchein, A.) 97–106
p-Methoxybenzoate, degradation of, by cell-free extracts of *Pseudomonas fluorescens* strain PM3 (Buswell, J. A. & Mahmood, A.) 45P
Methyl α-glucoside, transport of, by *Pseudomonas aeruginosa* (Midgley, M.) 50P–51P
Methylamine, identification of, as an intermediate in the degradation of *N*-methylisonicotinate by a rod-shaped bacterium (strain 4C2) isolated from sewage sludge (Orpin, C. G., Knight, M. & Evans, W. C.) 833–844
6-Methylaminopurine residues, formation of, in deoxyribonucleic acid catalysed by the deoxyribonucleic acid modification enzyme of bacteriophage P1 (Brockes, J. P., Brown, P. R. & Murray, K.) 1–10
N-Methylisonicotinate, bacterial oxidation of, produced photolytically from paraquat (1,1′-dimethyl-4,4′-bipyridilium ion) in the soil (Orpin, C. G., Knight, M. & Evans, W. C.) 833–844
Methylphenylcarbinol, *see* α-Hydroxyethylbenzene
5-Methyltetrahydropteroylmonoglutamate, ability of *Streptococcus faecalis* N.C.I.B. 6459 and A.T.C.C. 8043 to take up but not to utilize, from the external medium (McElwee, P. G. & Scott, J. M.) 901–905
Mevalonate, accumulation of lanosterol and 24,25-dihydrolanosterol during the inhibition by carbon monoxide of cholesterol biosynthesis from, by a rat liver preparation (Gibbons, G. F. & Mitropoulos, K. A.) 315–317
Mevalonate, biosynthesis of C_{55} polyprenols from, by a cell-free preparation from *Lactobacillus plantarum* (Durr, I. F. & Habbal, M. Z.) 345–349

Mevalonate, biosynthesis of ubiquinone, isoprenoid alcohols, squalene and sterols from, by marine invertebrates (Walton, M. J. & Pennock, J. F.) 471–479
Microsomal fraction, intracellular transport of β-glucuronidase from, to the lysosomes in mouse kidney induced by gonadotrophin (Kato, K., Hirohata, I., Fishman, W. H. & Tsukamoto, H.) 425–435
Mitochondria, flight-muscle, blowfly, properties of the oxidation of pyruvate and 2-oxoglutarate by (Hansford, R. G.) 271–283
Mitochondria, liver, rat, disequilibrium in the malate dehydrogenase reaction in, *in vivo* (Heath, D. F. & Phillips, J. C.) 453–470
Mitochondria, liver, rat, effects of anions on the inhibition by triethyltin of various functions of, *in vitro* (Rose, M. S. & Aldridge, W. N.) 51–59
Mitochondria, liver, rat, inhibitory actions of trialkyltin compounds on respiration by (Dawson, A. P., Dunnett, S. J. & Selwyn, M. J.) 67P
Mitochondria, liver, rat, steady-state kinetics of the interaction of, with inhibitors of oxidative phosphorylation (Henderson, P. J. F.) 321–333
Mitochondria, relative changes in the functions of ribosomes and, isolated from rat skeletal muscle during the early phase of steroid-induced catabolism (Bullock, G. R., Carter, E. E., Elliott, P., Peters, R. F., Simpson, P. & White, A. M.) 881–892
Mitochondria, transport of metabolites across the membranes of (McGivan, J. D. & Chappell, J. B.) 54P–56P
Monomannophosphoinositide, identification of dimannosyl diglyceride and, among the lipids of *Corynebacterium aquaticum* (Khuller, G. K. & Brennan, P. J.) 369–373
Moult cycle, role of fructose 1,6-diphosphatase variants in the gill and hypodermis in the control of the biosynthesis of glycogen and chitin during, of the Arctic king-crab (Hochachka, P. W.) 781–793
Mucoproteins, incorporation of [U-^{14}C]glucose, [G-^{3}H]-threonine and [G-^{3}H]serine into, by pig gastric mucosal scrapings *in vitro* (Snary, D. & Allen, A.) 577–587
Mucosa, gastric, pig, incorporation of [U-^{14}C]glucose, [G-^{3}H]threonine, and [G-^{3}H]serine into mucoproteins by scrapings of, *in vitro* (Snary, D. & Allen, A.) 577–587
Mucus, gastric, pig, tertiary structure in (Snary, D., Allen, A. & Pain, R. H.) 68P–69P
Muscle, flight, blowfly, properties of the oxidation of pyruvate and 2-oxoglutarate by mitochondria from (Hansford, R. G.) 271–283
Muscle, heart, dog, aggregation phenomena occurring during depolymerization in solutions of actin obtained from (Gillibrand, I. M.) 737–739
Muscle, skeletal, incorporation of glucose into glycogen in, of the developing rat *in vivo* (Vernon, R. G. & Walker, D. G.) 521–529
Muscle, skeletal, incorporation of lactate into glycogen in, of the developing rat *in vivo* (Vernon, R. G. & Walker, D. G.) 531–537
Muscle, skeletal, rabbit, separation and biological activity of the components of troponin B (inhibitory-factor) preparations obtained from myofibrils from (Wilkinson, J. M., Perry, S. V., Cole, H. A. & Trayer, I. P.) 215–228
Muscle, skeletal, rat, relative changes in the functions of ribosomes and mitochondria isolated from, during the early phase of steroid-induced catabolism (Bullock, G. R., Carter, E. E., Elliott, P., Peters, R. F., Simpson, P. & White, A. M.) 881–892
Myofibrils, skeletal-muscle, rabbit, separation and biological activity of the components of troponin B (inhibitory-factor) preparations obtained from (Wilkinson, J. M., Perry, S. V., Cole, H. A. & Trayer, I. P.) 215–228
Myosin, heart, ox, enzymic properties of the modified adenosine triphosphatase activity of, on covalent binding to an insoluble *p*-aminobenzylcellulose matrix (Liu-Osheroff, P. & Guillory, R. J.) 419–424
Myxamoebae, extracellular concentrations of adenosine 3′:5′-cyclic monophosphate during axenic growth of, of *Dictyostelium discoideum* strain Ax-2 (Malkinson, A. M. & Ashworth, J. M.) 611–612

Nerve endings, use of synaptosome beds for the study *in vitro* of the metabolism and function of (de Belleroche, J. S. & Bradford, H. F.) 21P
Nicotinamide, effects of nicotinate and, on the induction of phosphopyruvate carboxylase in rat liver and adipose tissue (Reshef, L. & Hanson, R. W.) 809–818
Nicotinamide nucleotides, insolubilized, some studies on the affinity chromatography of dehydrogenases on (Dean, P. D. G. & Lowe, C. R.) 11P–12P
Nicotinamide nucleotides, time-course of the effects of ethanol on the redox state of, of rat liver (Veech, R. L., Guynn, R. & Veloso, D.) 387–397
Nicotinamide–adenine dinucleotide, oxidized, cofactor-substrate elution of nicotinamide–adenine dinucleotide-dependent dehydrogenases bound to, immobilized by attachment to Sepharose 4B (Mosbach, K., Guilford, H., Ohlsson, R. & Scott, M.) 625–631
Nicotinamide–adenine dinucleotide, oxidized, insolubilized, general ligands and elution by (co)substrate in the affinity chromatography of dehydrogenases on insolubilized adenosine 5′-monophosphate and (Mosbach, K., Guilford, H., Ohlsson, R. & Scott, M.) 12P–13P
Nicotinamide–adenine dinucleotide phosphate (reduced) dehydrogenase, allosteric properties of, of *Azotobacter vinelandii* respiratory membranes (Ackrell, B. A. C., Erickson, S. K. & Jones, C. W.) 75P
Nicotinamide–adenine dinucleotide phosphate (reduced) oxidase, effects of protein–calorie malnutrition on the activities of, and other enzymes in human leucocytes (Selvaraj, R. J. & Seetharam Bhat, K.) 255–259
Nicotinate, effects of nicotinamide and, on the induction of phosphopyruvate carboxylase in rat liver and adipose tissue (Reshef, L. & Hanson, R. W.) 809–818
Noradrenaline, interaction of adrenal corticosteroids and, in the induction of phosphopyruvate carboxylase in rat liver and adipose tissue (Reshef, L. & Hanson, R. W.) 809–818
Nuclei, liver, rat, intact, differential inhibition of the nucleolar and nucleoplasmic deoxyribonucleic acid-dependent ribonucleic acid polymerases in, by the exotoxin from *Bacillus thuringiensis* (Beebee, T., Korner, A. & Bond, R. P. M.) 619–624
Nucleic acids, control of the biosynthesis of, in *Aspergillus nidulans* (Arst, H. N. & Scazzocchio, C.) 18P

Nucleoside deoxyribosyltransferase, separation of, into four active compounds by affinity chromatography (Cardinaud, R. & Holguin, J.) 30P
Nucleoside triphosphates, determination of the contents of, of eggs and oocytes of *Xenopus laevis* (Woodland, H. R. & Pestell, R. Q. W.) 597–605

Oestradiol, inhibition by, of collagen breakdown in involuting rat uterus (Ryan, J. N. & Woessner, J. F., Jr.) 705–713
Oestradiol, inhibition by, of the stimulation by dihydrotestosterone of the growth of the androgen-dependent mouse Shionogi SC-115 tumour *in vivo* (Bruchovsky, N.) 561–575
[4-^{14}C]Oestradiol, metabolism of, by oestrogen-induced peroxidase in rat uterus (Lyttle, C. R. & Jellinck, P. H.) 481–487
Oestrogens, binding of, to human erythrocytes and haemoglobin (Axe, J. C. & Hoare, D. G.) 68P
Oligosaccharide, C2-, asymmetric attachment of, to rabbit immunoglobulin G (Fanger, M. W. & Smyth, D. G.) 767–774
Oligosaccharides, three, carbohydrate compositions and attachment sites of, to rabbit immunoglobulin G (Fanger, M. W. & Smyth, D. G.) 757–765
Oocytes, determination of the nucleoside triphosphate contents of eggs and, of *Xenopus laevis* (Woodland, H. R. & Pestell, R. Q. W.) 597–605
Orcinol hydroxylase, stereospecificity of hydride transfer in the reaction catalysed by, from *Pseudomonas putida* (Higgins, I. J. & Ribbons, D. W.) 65P
Ornithine aminotransferase, role of arginase and, in the biosynthesis of proline in lactating rat mammary gland (Yip, M. C. M. & Knox, W. E.) 893–899
Ornithopus sativus, *see* Serradella
Ovalbumin, hen's-egg, replacement of an asparagine residue by an aspartic acid residue in, and a difference in the immunochemical reactivity of the two genetic variants (Wiseman, R. L., Fothergill, J. E. & Fothergill, L. A.) 775–780
Oxidative phosphorylation, *see* Phosphorylation, oxidative
Oxidoreductases, nicotinamide–adenine dinucleotide-dependent, stereospecificity of, from plants (Davies, D. D., Teixeira, A. & Kenworthy, P.) 335–343
2-Oxoglutarate, properties of the oxidation of pyruvate and, by blowfly flight-muscle mitochondria (Hansford, R. G.) 271–283
Oxygen, effect of atmospheres deficient in, on the energy charge of the adenylate pool in rat brain (Ridge, J. W.) 351–355
Oxygen, effect of exposure to low pressures of, on the activities of enzymes involved in tryptophan metabolism in rat liver (Inamdar, A. R., Ramakrishna Kurup, C. K. & Ramasarma, T.) 509–514

Papain, mercaptan-induced fragmentation of a subunit-like fragment obtained from human immunoglobulin M by limited hydrolysis with (Butchko, G. M. & Inman, F. P.) 801–807
Paralithodes camtschatica, *see* Arctic king-crab
Paraquat (1,1′-dimethyl-4,4′-bipyridilium ion), bacterial oxidation of *N*-methylisonicotinate produced photolytically from, in the soil (Orpin, C. G., Knight, M. & Evans, W. C.) 833–844
Particles, subcellular, linear equation that describes the steady-state kinetics of the interaction of, with tightly bound inhibitors (Henderson, P. J. F.) 321–333
Penicillinases, inhibition by semi-synthetic penicillins of, of various strains of *Escherichia coli* and *Klebsiella aerogenes* (Cole, M., Elson, S. & Fullbrook, P. D.) 295–308
Penicillins, semi-synthetic, inhibition by, of the β-lactamases of various strains of *Escherichia coli* and *Klebsiella aerogenes* (Cole, M., Elson, S. & Fullbrook, P. D.) 295–308
Penicillo-pepsin, amino sequences in, and evidence for homology with pig pepsin and chymosin (Harris, C. I., Kurosky, A., Rao, L. & Hofmann, T.) 34P–35P
Pentose phosphate pathway, regulation of, in *Aspergillus nidulans* (Hankinson, O. & Cove, D. J.) 18P–19P
Pepsin, evidence for an acyl intermediate in reactions catalysed by (Takahashi, M. & Hofmann, T.) 35P
Pepstatin, inhibition by, of the autolytic degradation of human articular cartilage (Dingle, J. T., Barrett, A. J., Poole, A. R. & Stovin, P.) 443–444
Pepstatin, inhibition by, of tissue acid proteinases (Barrett, A. J. & Dingle, J. T.) 439–441
Peptides, ethanol-soluble, use of acid alumina and Sephadex LH-20 for the separation and characterization of, produced by *Bacillus brevis* A.T.C.C. 10068 (Bartley, I. M., Hodgson, B., Walker, J. S. & Holme, G.) 489–502
Peptidoglycan, organization of enzymes and isoprenoid phosphates involved in the biosynthesis of teichoic acids and, in the membrane of *Bacillus licheniformis* A.T.C.C. 9945 and *Bacillus subtilis* N.C.T.C. 3610 (Anderson, R. G., Hussey, H. & Baddiley, J.) 11–25
Peroxidase, oestrogen-induced, metabolism of [4-^{14}C]-oestradiol by, in rat uterus (Lyttle, C. R. & Jellinck, P. H.) 481–487
Peroxidase, oxidation of 2′,4,4′-trihydroxychalcone catalysed by, *in vitro* and its possible physiological significance in higher plants (Rathmell, W. G. & Bendall, D. S.) 125–132
pH, effect of, on the oxidation of *p*-dimethylaminomethylbenzylamine by pig kidney diamine oxidase (Bardsley, W. G., Crabbe, M. J. C., Shindler, J. S. & Ashford, J. S.) 875–879
pH, effects of, on the oxidation of pyruvate and 2-oxoglutarate by blowfly flight-muscle mitochondria (Hansford, R. G.) 271–283
Phage, *see* Bacteriophage
Phagocytosis, effects of protein–calorie malnutrition on, by human leucocytes (Selvaraj, R. J. & Seetharam Bhat, K.) 255–259
Phenol, species variations in the metabolism of (Capel, I. D., French, M. R., Millburn, P., Smith, R. L. & Williams, R. T.) 25P–26P
Phenolase, spinach-beet, expression of catechol oxidase activity during the hydroxylation of *p*-coumarate by (Vaughan, P. F. T. & Butt, V. S.) 641–647

Phenylalanine, activity of phenylalanine hydroxylase in rat liver in relation to blood concentrations of tyrosine and (McGee, M. M., Greengard, O. & Knox, W. E.) 675–680

Phenylalanine hydroxylase, activity of, in rat liver during development (McGee, M. M., Greengard, O. & Knox, W. E.) 669–674

Phenylalanine hydroxylase, activity of, in rat liver in relation to blood concentrations of tyrosine and phenylalanine (McGee, M. M., Greengard, O. & Knox, W. E.) 675–680

Phosphatase, acid, biosynthesis of alkaline phosphatase and, in *Klebsiella aerogenes* N.C.I.B. 418 growing in continuous culture (Bolton, P. G. & Dean, A. C. R.) 87–96

Phosphatase, acid, effects of protein–calorie malnutrition on the activities of, and other enzymes in human leucocytes (Selvaraj, R. J. & Seetharam Bhat, K.) 255–259

Phosphatase, alkaline, biosynthesis of acid phosphatase and, in *Klebsiella aerogenes* N.C.I.B. 418 growing in continuous culture (Bolton, P. G. & Dean, A. C. R.) 87–96

Phosphate acetyltransferase, abnormal pattern of product inhibition observed with (Kyrtopoulos, S. A. & Satchell, D. P. N.) 319–320

Phosphate triesters, dimethyl, detoxifying demethylation of, by phosphoric acid triester–glutathione alkyltransferase activity in the liver of various mammalian species (Hutson, D. H., Pickering, B. A. & Donninger, C.) 285–293

Phosphatidyl glycolipid, identification of, attached to teichoic acid in the cytoplasmic membrane of *Streptococcus faecalis* N.C.I.B. 8191 (Toon, P., Brown, P. E. & Baddiley, J.) 399–409

Phosphatidylethanolamine, identification of two mannolipids and, as the major free lipids of *Corynebacterium aquaticum* (Khuller, G. K. & Brennan, P. J.) 369–373

Phosphatidylinositol, incorporation of fatty acids into, of ox spermatozoa (Neill, A. R. & Masters, C. J.) 375–385

Phosphatidylinositol kinase, activity of, in *Saccharomyces cerevisiae* N.C.Y.C. 366 (Wheeler, G. E., Michell, R. H. & Rose, A. H.) 64P

Phosphatidylinositol, role of D-*myo*inositol 1:2-cyclic phosphate phosphodiesterase in the pathway for the degradation of, in mammalian tissues (Dawson, R. M. C. & Clarke, N.) 113–118

Phosphatidylinositol, subcellular distribution of the acetylcholine-stimulated turnover of, in rat cerebral cortex (Lapetina, E. G. & Michell, R. H.) 36P–37P

Phosphocreatine, *see* Creatine phosphate

6-Phosphogluconate dehydrogenase, effects of protein–calorie malnutrition on the activities of, and other enzymes in human leucocytes (Selvaraj, R. J. & Seetharam Bhat, K.) 255–259

Phosphoinositides, effects of electrical stimulation, tetrodotoxin and cinchocaine on the metabolism of, in isolated rabbit vagus nerve (Salway, J. G. & Hughes, I. E.) 37P

Phospholipid membranes, interaction of glutamate dehydrogenase and malate dehydrogenase with (Dodd, G. H.) 38P–39P

Phospholipids, composition of, of membranes of rabbit platelet 5-hydroxytryptamine-storage organelles and of ox adrenal-gland-medulla chromaffin granules (Da Prada, M., Pletscher, A. & Tranzer, J. P.) 681–683

Phospholipids, incorporation of fatty acids into, of ox spermatozoa (Neill, A. R. & Masters, C. J.) 375–385

Phosphopyruvate carboxylase, activities of citrate synthase and, in rat and cow liver after the administration of glucocorticoids (Heitzman, R. J., Herriman, I. D. & Mallinson, C. B.) 27P–28P

Phosphopyruvate carboxylase, interaction of catecholamines and adrenal corticosteroids in the induction of, in rat liver and adipose tissue (Reshef, L. & Hanson, R. W.) 809–818

Phosphoric acid triester–glutathione alkyltransferase, detoxifying demethylation of dimethyl phosphate triesters by the activity of, in the liver of various mammalian species (Hutson, D. H., Pickering, B. A. & Donninger, C.) 285–293

Phosphorylation, oxidative, effects of anions on the inhibition by triethyltin of, by rat liver mitochondria *in vitro* (Rose, M. S. & Aldridge, W. N.) 51–59

Phosphorylation, oxidative, steady-state kinetics of the interaction of rat liver mitochondria with inhibitors of (Henderson, P. J. F.) 321–333

Phosphorylation state, time-course of the effects of ethanol on the redox state and, of rat liver (Veech, R. L., Guynn, R. & Veloso, D.) 387–397

Physiological parameters, effects of data errors on the determination of, by means of compartmental analysis (Atkins, G. L.) 437–438

Picolinamide, bacterial oxidation of, produced photolytically from diquat (6,7-dihydrodipyrido[1,2-*a*:2′,1′-*c*]pyrazinediium ion) in the soil (Orpin, C. G., Knight, M. & Evans, W. C.) 819–831

Picolinate, identification of, as an intermediate in the degradation of picolinamide by a rod-shaped bacterium isolated from soil (Orpin, C. G., Knight, M. & Evans, W. C.) 819–831

Pituitary gland, anterior, ox, effects of prostaglandins on the adenosine 3′:5′-cyclic monophosphate content of and the release of growth hormone by, *in vitro* (Cooper, R. H., McPherson, M. & Schofield, J. G.) 143–154

Plasma membranes, liver, rat, subcellular distribution and localization of glycerylphosphorylcholine phosphodiesterase in (Lloyd-Davies, K. A., Michell, R. H. & Coleman, R.) 357–368

Plasma, rat, evidence that the conversion of precursor(s) into serum albumin immediately precedes its secretion into, by the liver (Geller, D. M., Judah, J. D. & Nicholls, M. R.) 865–874

Platelets, rabbit, lipid composition of membranes of 5-hydroxytryptamine-storage organelles of (Da Prada, M., Pletscher, A. & Tranzer, J. P.) 681–683

Polynucleotides, effects of proteins and, on the activities of acid β-galactosidase and various other hydrolases from mammalian sources (Palmieri, M. J. & Koldovský, O.) 795–800

Polypeptides, synthetic, revised recommendations for the abbreviated nomenclature of (IUPAC–IUB Commission on Biochemical Nomenclature) 753–756

Polyprenol phosphates, involvement of, as intermediates in the biosynthesis of the cell-wall teichoic acid in the membrane of *Bacillus licheniformis* A.T.C.C. 9945 (Hancock, I. C. & Baddiley, J.) 27–37
Polyprenol phosphates, organization of enzymes and, involved in cell-wall biosynthesis in the membrane of *Bacillus licheniformis* A.T.C.C. 9945 and *Bacillus subtilis* N.C.T.C. 3610 (Anderson, R. G., Hussey, H. & Baddiley, J.) 11–25
Polyprenol phosphates, role of two derivatives of, as intermediates in the biosynthesis of the cell-wall teichoic acid in *Staphylococcus lactis* I3 (Hussey, H. & Baddiley, J.) 39–50
Polyprenols, C_{55}, biosynthesis of, by a cell-free preparation from *Lactobacillus plantarum* (Durr, I. F. & Habbal, M. Z.) 345–349
Polyribonucleotides, effects of proteins and, on the activity of acid β-galactosidase from rat ileum (Palmieri, M. J. & Koldovský, O.) 795–800
Polysaccharides, investigation of, produced by extracellular glycotransferases from *Streptococcus mutans* (Baird, J. K. & Ellwood, D. C.) 88P–89P
Porphyria, hepatic, experimental, study of drug interactions in, in the rat as a model for the exacerbation by drugs of human variegate porphyria (De Matteis, F.) 21P–22P
Pregn-5-ene-3β,20β-diol, intermediary role of, in the biosynthesis of 16-unsaturated C_{19} steroids in pig testis (Loke, K. H. & Gower, D. B.) 545–551
Pregnenolone, intermediary role of pregn-5-ene-3β,20β-diol in the biosynthesis of androsta-5,16-dien-3β-ol from, in pig testis (Loke, K. H. & Gower, D. B.) 545–551
Proline permease, specificity of, of *Escherichia coli* (Rowland, I. & Tristram, H.) 70P
Proline, role of arginase in the biosynthesis of, in lactating rat mammary gland (Yip, M. C. M. & Knox, W. E.) 893–899
Promitochondria, identification of, in aerobically grown glucose-repressed *Saccharomyces carlsbergensis* (Cartledge, T. G. & Lloyd, D.) 693–703
Propionate, effect of, on the metabolism of pyruvate and lactate in perfused rat liver (Chan, T. M. & Freedland, R. A.) 539–543
Prostaglandin E_1, metabolism of, by human plasma (McDonald-Gibson, W. J., McDonald-Gibson, R. G. & Greaves, M. W.) 40P–41P
Prostaglandins, effects of, on the adenosine 3′:5′-cyclic monophosphate content of and the release of growth hormone by ox anterior pituitary gland *in vitro* (Cooper, R. H., McPherson, M. & Schofield, J. G.) 143–154
Protease, *see* Proteinase
Protein, biosynthesis of, by the mitochondria of neurons (Hernandez, A. & Work, T. S.) 6P
Protein, biosynthesis of, in the central nervous system (Colloquium) 6P–7P
Protein, coat, amino acid sequence of the B-protein component of, of bacteriophage ZJ-2 (Snell, D. T. & Offord, R. E.) 167–178
Protein, decreased capacity of rat liver 40S ribosomal subunits for the binding of aminoacyl-transfer-ribonucleic acid as an explanation of the decreased biosynthesis of, after hypophysectomy (Barden, N. & Korner, A.) 411–417
Protein, effects of diets deficient in calories and, on phagocytosis by and enzyme activities of human leucocytes (Selvaraj, R. J. & Seetharam Bhat, K.) 255–259
Protein, effects of inhibitors of protein biosynthesis to inhibit the biosynthesis of, in brain and to prevent the hyperactivity and hyperpyexia in rats produced by inhibition of monoamine oxidase and the administration of L-tryptophan or 5-methoxy-*NN*-dimethyltryptamine (Grahame-Smith, D. G.) 7P
Protein, effects of some adrenocorticotrophin analogues on the biosynthesis of, in brain (Reading, H. W.) 7P
Protein, encephalitogenic, metabolism of, from rat brain (Wood, J. G. & King, N. L.) 48P
Protein, fraction I, light-driven biosynthesis of the large subunit of, by isolated chloroplasts (Blair, G. E. & Ellis, R. J.) 42P
Protein, mechanisms of the biosynthesis of, in the central nervous system (Roberts, S.) 6P
Protein, metabolism of, in the cerebrum in relation to neuroendocrine function (ter Haar, M. B. & MacKinnon, P. C. B.) 7P
Protein, polyamines and the regulation of the biosynthesis of, in brain (Giorgi, P. P.) 6P
Protein, production of, for non-ruminant feeding by growing filamentous fungi on barley (Reade, A. E., Smith, R. H. & Palmer, R. M.) 32P
Proteinase, acid, collagenolytic, nature of, of rat liver and its distribution in other rat tissues (Etherington, D. J.) 685–692
Proteinases, acid, inhibition by pepstatin of, from various tissues (Barrett, A. J. & Dingle, J. T.) 439–441
Proteinases, role of, in collagen breakdown in involuting rat uterus (Ryan, J. N. & Woessner, J. F., Jr.) 705–713
Protein–hyaluronate complex, diffusion coefficient of caffeine through agar gels containing (McCabe, M.) 249–253
Protein–polysaccharide, influence of glycoprotein on the formation of collagen fibrils *in vitro* in the presence of, containing chondroitin sulphate (Lowther, D. A. & Natarajan, M.) 607–608
Protein–polysaccharide, inhibition by pepstatin of the autolytic release and degradation of, from human articular cartilage (Dingle, J. T., Barrett, A. J., Poole, A. R. & Stovin, P.) 443–444
Proteins, effects of polynucleotides and, on the activities of acid β-galactosidase and various other hydrolases from mammalian sources (Palmieri, M. J. & Koldovský, O.) 795–800
Proteins, insolubilized, molecular properties of (Gabel, D. & Porath, J.) 13P–14P
Proteins, use of affinity chromatography as a tool in the study of the chemistry of (Wilchek, M.) 7P–9P
Proteoglycan, *see* Protein–polysaccharide
Protonmotive force in *Staphylococcus aureus* (Jeacocke, R. E., Niven, D. F. & Hamilton, W. A.) 57P–58P
Pteroyltriglutamate, inability of *Streptococcus faecalis* N.C.I.B. 6459 and A.T.C.C. 8043 to take up, from the external medium (McElwee, P. G. & Scott, J. M.) 901–905
Purine permease, altered activity of, in a purine-analogue-resistant mutant of *Saccharomyces cerevisiae* (Pickering, W. R. & Woods, R. A.) 70P

N-(Purin-6-ylcarbamoyl)-L-threonine riboside, incorporation of L-threonine into, of transfer ribonucleic acids of rat liver and *Escherichia coli* (Chheda, G. B., Hong, C. I., Piskorz, C. F. & Harmon, G. A.) 515–519
Pyridine, metabolism of, by soil bacteria (Watson, G. K. & Cain, R. B.) 44P
Pyruvate, effect of propionate on the metabolism of lactate and, in perfused rat liver (Chan, T. M. & Freedland, R. A.) 539–543
Pyruvate kinase, comparison of the properties of two forms of, in rat liver and determination of their separate activities during development (Middleton, M. C. & Walker, D. G.) 721–731
Pyruvate, properties of the oxidation of 2-oxoglutarate and, by blowfly flight-muscle mitochondria (Hansford, R. G.) 271–283
[2-^{14}C]Pyruvate, specific labelling of glutamate from, in rat liver mitochondria *in vivo* (Heath, D. F. & Phillips, J. C.) 453–470

Rana pipiens, *see* Frog
Red blood cells, *see* Erythrocytes
Redox state, time-course of the effects of ethanol on the phosphorylation state and, of rat liver (Veech, R. L., Guynn, R. & Veloso, D.) 387–397
Respiratory activity, kinetics of the degeneration and regeneration of, during drug treatment of two *petite*-negative yeasts (Luha, A. A. & Whittaker, P. A.) 43P–44P
Respiratory chain, activities of the dehydrogenases of, of *Azotobacter vinelandii* (Erickson, S. K., Ackrell, B. A. C. & Jones, C. W.) 73P–74P
Respiratory system, involvement of iron in, of *Azotobacter vinelandii* (Jones, C. W., Ackrell, B. A. C. & Erickson, S. K.) 74P–75P
Rhodopseudomonas spheroides N.C.I.B. 8253, magnesium protoporphyrin chelatase activity in (Gorchein, A.) 97–106
Ribonuclease, purification of, from tobacco plant by affinity chromatography (Jervis, L.) 29P–30P
Ribonucleic acid, biological activity of double-stranded fragments of (Edy, V. G. & Szekely, M.) 39P
Ribonucleic acid, effects of proteins and, on the activity of acid β-galactosidase from rat ileum (Palmieri, M. J. & Koldovský, O.) 795–800
Ribonucleic acid polymerase, deoxyribonucleic acid-dependent, purification and properties of, from *Halobacterium cutirubrum* N.R.C. 34001 (Louis, B. G. & Fitt, P. S.) 69–80
Ribonucleic acid polymerase, deoxyribonucleic acid-dependent, roles of the subunits of, from *Halobacterium cutirubrum* N.R.C. 34001 in initiation and polymerization (Louis, B. G. & Fitt, P. S.) 81–86
Ribonucleic acid polymerases, deoxyribonucleic acid-dependent, nucleolar and nucleoplasmic, differential inhibition of, in intact rat liver nuclei by the exotoxin from *Bacillus thuringiensis* (Beebee, T., Korner, A. & Bond, R. P. M.) 619–624
Ribonucleic acid, promotion by protein isolated from pea or maize shoots by affinity chromatography on insolubilized auxin of the deoxyribonucleic acid-dependent biosynthesis of (Venis, M. A.) 29P
Ribonucleic acid, ribosomal, initiation of the biosynthesis of the precursor of, in different regions of frog (*Rana pipiens*) gastrula (Miller, L.) 733–735
Ribonucleic acid, transfer, aminoacyl-, decreased capacity of rat liver 40S ribosomal subunits for the binding of, resulting from hypophysectomy (Barden, N. & Korner, A.) 411–417
Ribonucleic acid, transfer, model for the complex of messenger ribonucleic acid and, involved in protein biosynthesis (Thomas, B. R.) 47P
Ribonucleic acids, transfer, incorporation of L-threonine into *N*-(purin-6-ylcarbamoyl)-L-threonine riboside of, of rat liver and *Escherichia coli* (Chheda, G. B., Hong, C. I., Piskorz, C. F. & Harmon, G. A.) 515–519
Ribonucleotides, determination of the contents of deoxyribonucleotides and, of eggs and oocytes of *Xenopus laevis* (Woodland, H. R. & Pestell, R. Q. W.) 597–605
Ribonucleotides, procedure for the isolation and determination of deoxyribonucleotides in the presence of (Pestell, R. Q. W. & Woodland, H. R.) 589–595
Ribosomal ribonucleic acid, *see* Ribonucleic acid, ribosomal
Ribosomal subunits, 40S, liver, rat, decreased capacity of, for the binding of aminoacyl-transfer-ribonucleic acid resulting from hypophysectomy (Barden, N. & Korner, A.) 411–417
Ribosomes, membrane-bound and free, in brain and other tissues (Andrews, T. M. & Tata, J. R.) 6P
Ribosomes, relative changes in the functions of mitochondria and, isolated from rat skeletal muscle during the early phase of steroid-induced catabolism (Bullock, G. R., Carter, E. E., Elliott, P., Peters, R. F., Simpson, P. & White, A. M.) 881–892
Rickets, heterogeneity of collagen within different growth regions of long bones of chicks suffering from (Toole, B. P., Kang, A. H., Trelstad, R. L. & Gross, J.) 715–720
Root nodules, lupin and serradella, molecular properties of leghaemoglobins from (Broughton, W. J., Dilworth, M. J. & Godfrey, C. A.) 309–314
Rumen fluid, buffer capacity of nutrient media for the growth of rumen bacteria in relation to that of (Stewart, C. S.) 68P

Saccharomyces carlsbergensis, aerobically grown, glucose-repressed, subcellular fractionation by zonal centrifugation of (Cartledge, T. G. & Lloyd, D.) 693–703
Salicylate, elution by, of lactate dehydrogenase and glyceraldehyde 3-phosphate dehydrogenase bound to adenosine 5′-monophosphate immobilized by attachment to Sepharose 4B (Mosbach, K., Guilford, H., Ohlsson, R. & Scott, M.) 625–631
Sandal (*Santalum album*), biosynthesis of *sym*-homospermidine in leaves of (Kuttan, R. & Radhakrishnan, A. N.) 61–67
Santalum album, *see* Sandal
Scrapie agent, possible identification of, as a small deoxyribonucleic acid-mediated virus (Adams, D. H.) 82P–83P
Serine, biosynthesis of methionine from homocysteine and, by various micro-organisms (Salem, A. R. & Foster, M. A.) 845–853

[G-^{3}H]Serine, incorporation of, into mucoproteins by pig gastric mucosal scrapings *in vitro* (Snary, D. & Allen, A.) 577–587

L-Serine–pyruvate aminotransferase, activity of, in the liver of different animal species (Rowsell, E. V., Al-Tai, A. H., Carnie, J. A. & Rowsell, K. V.) 27P

Serotonin, *see* 5-Hydroxytryptamine

Serradella (*Ornithopus sativus*), molecular properties of leghaemoglobins from the root nodules of (Broughton, W. J., Dilworth, M. J. & Godfrey, C. A.) 309–314

Serum albumin, *see* Albumin, serum

Shikimate dehydrogenase, identity of quinate dehydrogenase and, in *Aspergillus niger* (Cain, R. B.) 15P

Shikimate, metabolism of quinate and, by *Aspergillus niger* and its regulation (Cain, R. B.) 15P–16P

Shionogi SC-115 tumour, mouse, androgen-dependent, metabolism of testosterone and dihydrotestosterone in, *in vivo* (Bruchovsky, N.) 561–575

Skeletal muscle, *see* Muscle, skeletal

Slime mould (*Dictyostelium discoideum* strain Ax-2), extracellular concentrations of adenosine 3′:5′-cyclic monophosphate during axenic growth of myxamoebae of (Malkinson, A. M. & Ashworth, J. M.) 611–612

Sodium cortisone 21-[^{35}S]sulphate, metabolism of, in the rat (Gatehouse, P. W., Roy, A. B., Dodgson, K. S., Powell, G. M., Lloyd, A. G. & Olavesen, A. H.) 661–668

Sodium ions, comparison of the transport of potassium ions and, in squid giant axons and in *Ascaris* muscle fibres (Caldwell, P. C.) 54P

Soil, bacterial oxidation of *N*-methylisonicotinate produced photolytically from paraquat (1,1′-dimethyl-4,4′-bipyridilium ion) in (Orpin, C. G., Knight, M. & Evans, W. C.) 833–844

Soil, bacterial oxidation of picolinamide produced photolytically from diquat (6,7-dihydrodipyrido-[1,2-*a*:2′,1′-*c*]pyrazinediium ion) in (Orpin, C. G., Knight, M. & Evans, W. C.) 819–831

Somatotrophin, *see* Growth hormone

Soya bean, properties of lipoxygenase from, bound to agarose (Grossman, S., Trop, M., Budowski, P., Perl, M. & Pinsky, A.) 909–910

Spermatozoa, ox, metabolism of fatty acids by (Neill, A. R. & Masters, C. J.) 375–385

Spinacea oleracea, *see* Spinach

Spinach beet, *see* Beet, spinach

Spinach (*Spinacea oleracea*), purification, properties and substrate specificity of adenosine triphosphate sulphurylase from leaves of (Shaw, W. H. & Anderson, J. W.) 237–247

Spleen, ox, chromatographic evidence for the existence of multiple forms of cathepsin B1 from (Franklin, S. G. & Metrione, R. M.) 207–213

Squalene, biosynthesis of, by marine invertebrates (Walton, M. J. & Pennock, J. F.) 471–479

Staphylococcus lactis I3, role of two derivatives of isoprenoid phosphates as intermediates in the biosynthesis of the cell-wall teichoic acid in (Hussey, H. & Baddiley, J.) 39–50

Steroids, adrenal-cortex, interaction of catecholamines and, in the induction of phosphopyruvate carboxylase in rat liver and adipose tissue (Reshef, L. & Hanson, R. W.) 809–818

Steroids, amendments to rules for the nomenclature of (IUPAC Commission on the Nomenclature of Organic Chemistry & IUPAC–IUB Commission on Biochemical Nomenclature) 613–617

Steroids, C_{19}, 16-unsaturated, intermediary role of pregn-5-ene-3β,20β-diol in the biosynthesis of, in pig testis (Loke, K. H. & Gower, D. B.) 545–551

Steroids, keto, C_{19}, 16-unsaturated metabolism *in vitro* of, in boar testis (Brophy, P. J. & Gower, D. B.) 23P–24P

Steroids, relative changes in the functions of rat skeletal-muscle ribosomes and mitochondria during the early phase of catabolism induced by (Bullock, G. R., Carter, E. E., Elliott, P., Peters, R. F., Simpson, P. & White, A. M.) 881–892

Sterols, biosynthesis of, by marine invertebrates (Walton, M. J. & Pennock, J. F.) 471–479

Stomach, pig, incorporation of [U-^{14}C]glucose, [G-^{3}H]-threonine and [G-^{3}H]serine into mucoproteins by mucosal scrapings from, *in vitro* (Snary, D. & Allen, A.) 577–587

Streptococcus faecalis N.C.I.B. 6459 and A.T.C.C. 8043, uptake and metabolism of folates by (McElwee, P. G. & Scott, J. M.) 901–905

Streptococcus faecalis N.C.I.B. 8191, structure of the lipid–teichoic acid complex in the cytoplasmic membrane of (Toon, P., Brown, P. E. & Baddiley, J.) 399–409

Subcellular particles, linear equation that describes the steady-state kinetics of the interaction of, with tightly bound inhibitors (Henderson, P. J. F.) 321–333

Succinic semialdehyde, identification of, as an intermediate in the degradation of *N*-methylisonicotinate by a rod-shaped bacterium (strain 4C2) isolated from sewage sludge (Orpin, C. G., Knight, M. & Evans, W. C.) 833–844

Sugar nucleotides, concentrations of, in the epithelium, stroma and endothelium of ox cornea (Handley, C. J. & Phelps, C. F.) 911–912

Sugars, transport of, and other non-electrolytes in yeast (Kotyk, A.) 51P–52P

[^{35}S]Sulphate, inorganic, excretion of, in the urine after administration of sodium cortisone 21-[^{35}S]sulphate to the rat (Gatehouse, P. W., Roy, A. B., Dodgson, K. S., Powell, G. M., Lloyd, A. G. & Olavesen, A. H.) 661–668

Sulphate, non-specific uptake and specific binding of, by *Aspergillus nidulans* (Moore, B. G. & Spencer, B.) 72P

Tartrazine, effect of testosterone on the biliary excretion of, in female rats (Hirom, P. C., Millburn, P., Osiyemi, F. O., Smith, R. L., Turbert, H. B. & Williams, R. T.) 25P

Teichoic acid, cell-wall, biosynthesis of, in the membrane of *Bacillus licheniformis* A.T.C.C. 9945 (Hancock, I. C. & Baddiley, J.) 27–37

Teichoic acid, cell-wall, role of two derivatives of isoprenoid phosphates as intermediates in the biosynthesis of, in *Staphylococcus lactis* I3 (Hussey, H. & Baddiley, J.) 39–50

Teichoic acid, structure of the complex of lipid and, in the cytoplasmic membrane of *Streptococcus faecalis* N.C.I.B. 8191 (Toon, P., Brown, P. E. & Baddiley, J.) 399–409

Teichoic acids, organization of enzymes and isoprenoid phosphates involved in the biosynthesis of peptidoglycan and, in the membrane of *Bacillus licheniformis* A.T.C.C. 9945 and *Bacillus subtilis* N.C.T.C. 3610 (Anderson, R. G., Hussey, H. & Baddiley, J.) 11–25

Temperature, low, effect of adaptation to, on the metabolism of carnitine in brown adipose tissue of the young rat (Hahn, P. & Skala, J.) 107–111

Tendon, Achilles, ox, isolation of glycoproteins from, and their interaction with collagen (Anderson, J. C. & Jackson, D. S.) 179–186

Testis, pig, intermediary role of pregn-5-ene-3β,20β-diol in the biosynthesis of 16-unsaturated C_{19} steroids in (Loke, K. H. & Gower, D. B.) 545–551

Testosterone, metabolism of dihydrotestosterone and, in the androgen-dependent mouse Shionogi SC-115 tumour *in vivo* (Bruchovsky, N.) 561–575

Testosterone, oxidation of, by 17β-hydroxy steroid dehydrogenase isolated from human erythrocytes (Mulder, E., Lamers-Stahlhofen, G. J. M. & Van der Molen, H. J.) 649–659

Tetrachlorvinphos, *see* 2-Chloro-1-(2,4,5-trichlorophenyl)-vinyl dimethyl phosphate

Thiols, effect of reduction with, on the subunit structure of human α_2-macroglobulin (Jones, J. M., Creeth, J. M. & Kekwick, R. A.) 187–197

[G-^{3}H]Threonine, incorporation of, into mucoproteins by pig gastric mucosal scrapings *in vitro* (Snary, D. & Allen, A.) 577–587

L-Threonine, incorporation of, into *N*-(purin-6-ylcarbamoyl)-L-threonine riboside of transfer ribonucleic acids of rat liver and *Escherichia coli* (Chheda, G. B., Hong, C. I., Piskorz, C. F. & Harmon, G. A.) 515–519

Threonine, survey of the patterns of the catabolism of, in micro-organisms (Bell, S. C., Turner, J. M., Collins, J. & Gray, T. R. G.) 77P

Toxin, exo-, differential inhibition of the nucleolar and nucleoplasmic deoxyribonucleic acid-dependent ribonucleic acid polymerases in intact rat liver nuclei by, from *Bacillus thuringiensis* (Beebee, T., Korner, A. & Bond, R. P. M.) 619–624

Transfer ribonucleic acid, *see* Ribonucleic acid, transfer

Transport phenomena, permeability and, in micro-organisms and mammalian systems (Colloquium) 49P–56P

Triethyltin, effects of anions on the inhibition by, of various functions of rat liver mitochondria *in vitro* (Rose, M. S. & Aldridge, W. N.) 51–59

2′,4,4′-Trihydroxychalcone, peroxidase-catalysed oxidation of, *in vitro* and its possible physiological significance in higher plants (Rathmell, W. G. & Bendall, D. S.) 125–132

Triose phosphate isomerase, preliminary separation of, and other enzymes extracted from *Bacillus stearothermophilus* (Atkinson, A., Phillips, B. W., Callow, D. S., Stones, W. R. & Bradford, P. A.) 63P–64P

Triphenyl-lead acetate, identification of benzene as a metabolite of, in the rat (Williams, B., Dring, L. G. & Williams, R. T.) 24P–25P

Tropocollagen, isolation of glycoproteins from ox Achilles tendon and their interaction with (Anderson, J. C. & Jackson, D. S.) 179–186

Troponin B (inhibitory factor), separation and biological activity of the components of preparations of, obtained from rabbit skeletal-muscle myofibrils (Wilkinson, J. M., Perry, S. V., Cole, H. A. & Trayer, I. P.) 215–228

Tryptophan, effect of hypobaric stress on the activities of enzymes involved in the metabolism of, in rat liver (Inamdar, A. R., Ramakrishna Kurup, C. K. & Ramasarma, T.) 509–514

Tryptophan hydroxylase, effect of hypobaric stress on the activity of, in rat liver (Inamdar, A. R., Ramakrishna Kurup, C. K. & Ramasarma, T.) 509–514

Tryptophan pyrrolase, effect of hypobaric stress on the activity of, in rat liver (Inamdar, A. R., Ramakrishna Kurup, C. K. & Ramasarma, T.) 509–514

Tumour, Shionogi SC-115, mouse, androgen-dependent, metabolism of testosterone and dihydrotestosterone in, *in vivo* (Bruchovsky, N.) 561–575

Tyrosine, activity of phenylalanine hydroxylase in rat liver in relation to blood concentrations of phenylalanine and (McGee, M. M., Greengard, O. & Knox, W. E.) 675–680

Tyrosine aminotransferase, effect of hypobaric stress on the activity of, in rat liver (Inamdar, A. R., Ramakrishna Kurup, C. K. & Ramasarma, T.) 509–514

Tyrothricin, use of acid alumina and Sephadex LH-20 for the separation and characterization of, and other ethanol-soluble peptides produced by *Bacillus brevis* A.T.C.C. 10068 (Bartley, I. M., Hodgson, B., Walker, J. S. & Holme, G.) 489–502

Ubiquinone, biosynthesis of, by marine invertebrates (Walton, M. J. & Pennock, J. F.) 471–479

Undecaprenol, biosynthesis of, by a cell-free preparation from *Lactobacillus plantarum* (Durr, I. F. & Habbal, M. Z.) 345–349

Urea, degradation of, by bacteria in the sheep rumen (Cook, A. R.) 66P

Urea, effects of formamide, guanidinium salts and, on the renaturation and the thermal stability of acid-soluble calf skin collagen (Russell, A. E. & Cooper, D. R.) 855–863

Uridine diphosphate glucuronyltransferase, induction of, and its relationship to protein and ribonucleic acid biosynthesis in cultured chick-embryo liver preparations (Burchell, B., Nemeth, A. M. & Dutton, G. J.) 81P–82P

Uridine diphosphate sugars, concentrations of, in the epithelium, stroma and endothelium of ox cornea (Handley, C. J. & Phelps, C. F.) 911–912

Urine, excretion of inorganic [^{35}S]sulphate in, after administration of sodium cortisone 21-[^{35}S]sulphate to the rat (Gatehouse, P. W., Roy, A. B., Dodgson, K. S., Powell, G. M., Lloyd, A. G. & Olavesen, A. H.) 661–668

Urine, excretion of metabolites of hydroanthracenones as glucuronides in, in the rabbit (Robertson, J. S. & Dunstan, P. J.) 119–123

Uterus, rat, involuting, inhibition by oestradiol of collagen breakdown in (Ryan, J. N. & Woessner, J. F., Jr.) 705–713

Uterus, rat, metabolism of [4-^{14}C]oestradiol by oestrogen-induced peroxidase in (Lyttle, C. R. & Jellinck, P. H.) 481–487

Viruses of *Penicillium* spp. and *Aspergillus* spp. (Border, D. J., Buck, K. W., Chain, E. B., Kempson-Jones, G. F., Lhoas, P. & Ratti, G.) 4P–6P

Vitamin B_{12}, requirement for, in the biosynthesis of methionine by various micro-organisms (Salem, A. R. & Foster, M. A.) 845–853

Vitamin D, heterogeneity of collagen within different growth regions of long bones of chicks deficient in (Toole, B. P., Kang, A. H., Trelstad, R. L. & Gross, J.) 715–720

Wall, cell, *see* Cell wall

Xanthine dehydrogenase II, repression by nitrate of, in *Aspergillus nidulans* (Scazzocchio, C. & Holl, F. B.) 17P

Xanthine oxidase, separation of functional and non-functional forms of, by affinity chromatography (Massey, V., Edmondson, D., Palmer, G., Beacham, L. M., III & Elion, G. B.) 10P–11P

Xenopus laevis, determination of the nucleoside triphosphate contents of eggs and oocytes of (Woodland, H. R. & Pestell, R. Q. W.) 597–605

Yeast (*Candida utilis* N.C.Y.C. 321), biosynthesis of methionine from serine and homocysteine by (Salem, A. R. & Foster, M. A.) 845–853

Yeast (*Saccharomyces carlsbergensis*), aerobically grown, glucose-repressed, subcellular fractionation by zonal centrifugation of (Cartledge, T. G. & Lloyd, D.) 693–703